

GENERATORS

Portable Full Line



KOHLER[®]
IN POWER. SINCE 1920.

TOUGH AS NAILS AND LOADED WITH MUSCLE.



PRO6 4E



Whether you're camping, working in the middle of nowhere or backing up your home during an outage, we give you the power you need where you need it most. Choose generator models from 1.8 to 12.3 kW, pumps from 2 to 4 inches and our U-Spec[®] custom accessory system that lets you customize your equipment any way you want.

WHY KOHLER?



From left to right:
enCUBE® battery inverter with 60-watt solar panel
PRO7.5E with wheel, leg and wheelbarrow handle kits
PRO12.3EFI with wheel, leg and wheelbarrow handle kits

RELIABILITY

KOHLER® power equipment is extensively quality-tested before model release and before leaving the factory—for proven reliability.

LONG RUNTIMES

Big fuel tanks mean long runtimes and less refueling.

ROCK-SOLID ENGINES

KOHLER engines are built to perform in the toughest environments—from the die-hard KOHLER Command PRO® to the ultra fuel-efficient Command PRO EFI.

Auto-idle feature automatically sets the engine to idle to save fuel.

U-SPEC.® CUSTOM ACCESSORY SYSTEM

U-Spec lets you build your equipment just the way you want it.

Legs, handles, wheels, lifting kits and more add up to more than 100 custom configurations.



FREE LOANER PROGRAM

If a KOHLER generator ever goes down, one of our select dealers will provide a free loaner unit for warranty repairs exceeding 24 hours.*

LONG WARRANTY

You get our three-year limited warranty.†

PROTECTIVE FEATURES

Automatic voltage regulation keeps power output clean to run equipment safely.

Ground-fault circuit interrupter protects equipment from faulty current.

Accu-Fill® provides safe, easy refilling—and less spilling—with its angled fuel inlet.

Maintenance Minder displays hours of runtime and lights up to remind you of oil, spark plug and filter changes.

ONE GENERATOR. THREE FUEL OPTIONS.

Chose your fuel source—gasoline, propane or natural gas for ultimate flexibility and convenience.††

TRUSTED WORLDWIDE

Since 1920, hospitals, airports and military bases around the world have depended on KOHLER generators.

* On PRO generator models at participating dealers, based on availability.
† 90-day limited warranty on the GEN5.0 when used in a commercial setting.
†† Available on 6.4- and 9.0-kW generator models.

PORTABLE GENERATORS

	INVERTER	GENERATORS							
MODEL	enCUBE*	GEN5.0*	PRO5.2E*	PRO6.4	PRO6.4E	PRO7.5E*	PRO9.0	PRO9.0E	PRO12.3EFI
Description	1.8-kW Battery inverter	5-kW Consumer generator	5.2-kW Professional e-start generator	6.4-kW Professional generator	6.4-kW Professional e-start generator	7.5-kW Professional e-start generator	9.0-kW Professional generator	9.0-kW Professional e-start generator	12.3-kW Professional e-start generator
Max power (Watts)	1800	5000	5200	6400	6400	7500	9000	9000	12,300
Continuous power (Watts)	1440	4300	4500	5200	5200	6300	7200	7200	10,500
Starting type	Power Button	Recoil	Electric + Recoil	Recoil	Electric + Recoil	Electric + Recoil	Recoil	Electric + Recoil	Electric + Recoil
Engine displacement (cu in/cc)	NA	16.9 / 277	26.2 / 429	16.9 / 277	16.9 / 277	26.2 / 429	26.2 / 429	26.2 / 429	42.4 / 694
Fuel type	Solar	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline
Fuel tank capacity (gal/L)	NA	8.0 / 30.2	8.0 / 30.2	8.0 / 30.2	8.0 / 30.2	8.0 / 30.2	8.0 / 30.2	8.0 / 30.2	8.7 / 32.9
Runtime at 50% load (hours)	Varies based on equipment	16.5	15.2	15	15	11	11	11	10
Dry weight (lb/kg)	109 (49.4)	180 (82)	180 (82)	174 (79)	198 (90)	199 (90)	202 (92)	218 (99)	306 (139)
Dimensions (L x W x H) (in/mm)	11.5 x 14.0 x 22.0 (292 x 356 x 559)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	29.4 x 21.4 x 22.3 (746 x 543 x 566)	35.2 x 22.4 x 30.3 (894 x 568 x 769)
 120 V 15 AMP	2								
 NEMA 5-20 120 V (20 AMP)		4	4	4	4	4	4	4	4
 NEMA L5-30 120 V (30 AMP)			1	1	1	1	1	1	1
 NEMA L14-20 120/240 V (20 AMP)		1							
 NEMA L14-30 120/240 V (30 AMP)			1	1	1	1	1	1	1
 Twist-Lock 120/240 V (50 AMP)									1
 12 VDC (8.3 AMP)			1		1	1		1	1
 5V DC USB Ports	2								
 12 V Car Charger	2								
Auto-idle down			•		•	•		•	•
Accu-Fill®		•	•	•	•	•	•	•	•
Maintenance Minder			•	•	•	•	•	•	
Low-oil shutdown (Oil Sentry™)		•	•	•	•	•	•	•	•
Commercial / Consumer warranty (yr)	90 days / 3 yr	90 days / 3 yr	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr

*Available in Canada, PRO5.2E & PRO7.5E only available in Canada

PUMPS

	WATER PUMPS		TRASH PUMPS	
MODEL	WP2.0	WP3.0	TP3.0	TP4.0D
Description	2-inch water pump	3-inch water pump	3-inch trash pump	4-inch diesel trash pump
Engine displacement (cu in/cc)	12.7 / 208	12.7 / 208	16.9 / 277	21.3 / 349
Fuel type	Gasoline	Gasoline	Gasoline	Diesel
Fuel tank capacity (gal/L)	1.1 / 4.1	1.1 / 4.1	1.8 / 6.8	1.1 / 4.1
Total head (ft/m)	85 / 25.9	98 / 29.8	85 / 26	50 / 15.2
Suction head (ft/m)	26 / 7.9	26 / 7.9	26 / 7.9	26 / 7.9
Flow rate (gpm/lpm)	159 / 601	265 / 1003	317 / 1200	395 / 1495
Impeller	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Volute	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Pump body	Aluminum	Aluminum	Aluminum	Cast Iron
Dry weight (lb/kg)	66 / 29.9	77 / 34.9	137 / 62.1	198 / 89.8
Dimensions (L x W x H) (in/mm)	24.2 x 18.7 x 19.0 (614 x 475 x 482)	24.2 x 18.7 x 19.0 (614 x 475 x 482)	27.0 x 20.9 x 21.3 (685 x 530 x 541)	28.7 x 22.8 x 23.4 (728 x 579 x 594)
Commercial/Consumer warranty (yrs)	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr	3 yr / 3 yr

U-SPEC. CUSTOM ACCESSORY SYSTEM


	PORTABLE GENERATORS								PUMPS			
	GEN5.0	PRO5.2E	PRO6.4	PRO6.4E	PRO7.5E	PRO9.0	PRO9.0E	PRO12.3EFT	WP2.0	WP3.0	TP3.0	TP4.0D
A. 12-V battery charger		•		•	•		•	•				
B. Auto-locking hand truck handle kits	•	•	•	•	•	•	•					
C. Extension cord management kit	•	•	•	•	•	•	•		•	•	•	
D. Hose kit									•	•	•	•
E. Isolator kit	•	•	•	•	•	•	•		•	•	•	
F. Leg kit	•	•	•	•	•	•	•		•	•	•	
G. Lifting kit	•	•	•	•	•	•	•					
H. Mobility kits							•					•
I. Tri-fuel kits			•	•		•	•					
J. Wheel kit	•	•	•	•	•	•	•		•	•	•	
K. Wheelbarrow handle kit	•	•	•	•	•	•	•		•	•	•	
L. Wireless remote							•					

USE YOUR PORTABLE GENERATOR FOR HOME BACKUP POWER.

The manual transfer switch connects to your home's circuit panel. When the power goes out, plug your portable generator into the connection box, start the generator and flip the switch. No cords, no hassles.

CUSTOM OPTIONS—AND LOTS OF THEM.

We know every job and every job site is different. That's why we offer the U-Spec. custom accessory system. It lets you build your generator or pump just the way you want it, with more custom configurations than anyone else.



KOHLER[®]
IN POWER. SINCE 1920.

North America 800.544.2444

KOHLERPOWER.COM

PRINTED IN U.S.A. G12-452 10/17 © 2015 BY KOHLER CO.