

PENTAIR MYERS Pumps & Accessories

1/1/2020

SUMP PUMPS	2-3
PRE-PLUMBED SUMP SYSTEMS	4
BATTERY BACKUP UNITS	4
SPECIALTY PUMPS	5
EFFLUENT PUMPS	6-10
HIGH HEAD EFFLUENT PUMPS	11
SEWAGE PUMPS	12-21
PRE-PLUMBED SEWAGE SYSTEMS	22
GRINDERS AND TURNKEY GRINDER PACKAGES	22
SEWAGE EJECTORS	23-28
SOLIDS HANDLING PUMPS	29-32

UTILITY PUMPS	33
BASINS AND ACCESSORIES	34-36
REPAIR PART KITS	37
RAIL SYSTEMS AND CHAINS	37-38
FLANGES	39
JUNCTION BOXES	40
ACCESSORIES	41-42
CORDS	43-44
LEVEL CONTROLS	45
PUMP SWITCHES	46-47
CONTROL PANELS	48-59

Switch Type Legend	
A	Automatic
M	Manual
PD	Piggy Back Diaphragm
PRE-T	Pre-Mounted Tethered
PT	Piggy Back Tethered
PV	Piggy Back Vertical
R	Reed
R/V	Reed/Vertical
T	Tethered
V	Vertical

SUMP PUMPS

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MS(P) SERIES - ZINC AND THERMOPLASTIC										
MS33PV10	022315378223	-	1/3	1	115	10'	PV	1-1/2"	3/16"	10
MS33PT10	022315378629	-	1/3	1	115	10'	PT	1-1/2"	3/16"	10
MS33PT20	-	-	1/3	1	115	20'	PT	1-1/2"	3/16"	11
MS33PV20	-	-	1/3	1	115	20'	PV	1-1/2"	3/16"	10
MS50PV10	022315378247	-	1/2	1	115	10'	PV	1-1/2"	3/16"	10
MS50PT10	022315378254	-	1/2	1	115	10'	PT	1-1/2"	3/16"	10
MS50PV20	-	-	1/2	1	115	20'	PV	1-1/2"	3/16"	11
MS SERIES - ZINC AND CAST IRON										
MS33V10	-	-	1/3	1	115	10'	PV	1-1/2"	1/4"	15
MS33V20	-	-	1/3	1	115	20'	PV	1-1/2"	1/4"	16
MS33D10	-	-	1/3	1	115	10'	PD	1-1/2"	1/4"	14
MS33D20	-	-	1/3	1	115	20'	PD	1-1/2"	1/4"	15
MS33T10	022315377264	-	1/3	1	115	10'	PT	1-1/2"	1/4"	14
MS33T20	-	-	1/3	1	115	20'	PT	1-1/2"	1/4"	15
MS33M20	-	-	1/3	1	115	20'	M	1-1/2"	1/4"	14
MS50V10	022315377288	-	1/2	1	115	10'	PV	1-1/2"	1/4"	15
MS50V20	-	-	1/2	1	115	20'	PV	1-1/2"	1/4"	16
MS50D10	-	-	1/2	1	115	10'	PD	1-1/2"	1/4"	14
MS50D20	-	-	1/2	1	115	20'	PD	1-1/2"	1/4"	14
MS50T10	022315377271	-	1/2	1	115	10'	PT	1-1/2"	1/4"	14
MS50T20	-	-	1/2	1	115	20'	PT	1-1/2"	1/4"	15
MS50M20	-	-	1/2	1	115	20'	M	1-1/2"	1/4"	14
MDC SERIES - CAST IRON										
MDC33P1	022315316614	-	1/3	1	115	10'	PT	1-1/2"	1/2"	23
MDC33V1	022315316638	-	1/3	1	115	10'	PV	1-1/2"	1/2"	23
MDC33D1	-	-	1/3	1	115	10'	PD	1-1/2"	1/2"	24
MDC33V1 20	-	-	1/3	1	115	20'	PV	1-1/2"	1/2"	24
MDC33PC1 20	-	-	1/3	1	115	20'	PT	1-1/2"	1/2"	23
MDC33PC1 30	-	-	1/3	1	115	30'	PT	1-1/2"	1/2"	27
MDC50P1	022315316676	-	1/2	1	115	10'	PT	1-1/2"	1/2"	27
MDC50V1	022315316690	-	1/2	1	115	10'	PV	1-1/2"	1/2"	27
MDC5010M	-	-	1/2	1	115	10'	M	1-1/2"	1/2"	25
MDC50PC1	022315316669	-	1/2	1	115	20'	PT	1-1/2"	1/2"	27
MDC50VC1	022315316683	-	1/2	1	115	20'	PV	1-1/2"	1/2"	28

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MSCI SERIES - CAST IRON										
MSCI33T10	-	-	1/3	1	115	10'	PT	1-1/2"	3/8"	20
MSCI33V10	-	-	1/3	1	115	10'	PV	1-1/2"	3/8"	20
MSCI33D10	-	-	1/3	1	115	10'	PD	1-1/2"	3/8"	20
MSCI50V10	-	-	1/2	1	115	10'	PV	1-1/2"	3/8"	25
MSCI50V20	-	-	1/2	1	115	20'	PV	1-1/2"	3/8"	25
MSCI50D10	-	-	1/2	1	115	10'	PD	1-1/2"	3/8"	25
MSCI50T10	-	-	1/2	1	115	10'	PT	1-1/2"	3/8"	25
MSCI50T20	-	-	1/2	1	115	20'	PT	1-1/2"	3/8"	25
MSCI50T50	-	-	1/2	1	115	50'	PT	1-1/2"	3/8"	25
MSCI50M20	-	-	1/2	1	115	20'	M	1-1/2"	3/8"	25
MCI0 SERIES - CAST IRON WITH 2-POLE SWITCH										
MCI033	022315341210	-	1/3	1	115	10'	V	1-1/2"	1/2"	27
MCI033 20	022315342040	-	1/3	1	115	20'	V	1-1/2"	1/2"	28
MCI033 30	022315342057	-	1/3	1	115	30'	V	1-1/2"	1/2"	29
MCI033M 20	022315367401	-	1/3	1	115	20'	M	1-1/2"	1/2"	23
MCI050	022315343337	-	1/2	1	115	10'	V	1-1/2"	1/2"	27
MCI050 20	022315343344	-	1/2	1	115	20'	V	1-1/2"	1/2"	28
MCI050M 20	022315367425	-	1/2	1	115	20'	M	1-1/2"	1/2"	24
SSM33I SERIES - CAST IRON										
SSM33IM1C	054128300276	26235D100	1/3	1	115	20'	M	1-1/2"	1/2"	28
SSM33IP-1	054128300238	26235D110	1/3	1	115	10'	PT	1-1/2"	1/2"	28
SSM33IPC-1	054128300252	26235D111	1/3	1	115	20'	PT	1-1/2"	1/2"	28
SSM33IPV1	054128300283	26235D120	1/3	1	115	10'	PV	1-1/2"	1/2"	28
SSM33IPV1C	054128300290	26235D121	1/3	1	115	20'	PV	1-1/2"	1/2"	28
PEDESTAL SERIES										
MCSP3	054128830513	26270D000	1/3	1	115	6'	V	1-1/4"	1/8"	18
MCSP3I	054128230023	26270D050	1/3	1	115	6'	V	1-1/2"	1/8"	24
DS SERIES - STAINLESS STEEL										
DS33P1	022315317291	-	1/3	1	115	15'	PT	1-1/4"	3/4"	13
DS50P1	022315317307	-	1/2	1	115	15'	PT	1-1/4"	3/4"	16
DS75P1	022315317314	-	3/4	1	115	15'	PT	1-1/4"	3/4"	19

PRE-PLUMBED SUMP SYSTEMS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
PRE-PLUMBED SINK SYSTEMS				
ED-MS33PV10	022315378599	-	Package includes: 14x16 structural foam basin and lid, PVC discharge pipe and the MS33PV10 sump pump	25
ED33V1	022315316560	-	Package includes: 15x12x13 structural foam basin and lid, PVC discharge pipe and the MDC33V1 sump pump	34
MS1822	-	-	Package includes: 18x22 structural foam basin and lid, PVC discharge pipe, check valve and the MS33PV10 sump pump	34
M118A	022315381629	519320007	Package includes: 18x22 structural foam basin and lid, PVC discharge pipe, check valve and the MS33V10 sump pump	32

BATTERY BACKUP UNITS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
BATTERY BACKUP UNITS				
MBSP-2	022315368378	-	Classic BBU: 12V secondary pump with 8' cord. 1-1/4" Discharge & 3/16" Solids Handling. Reed switch to detect water.	15
MBSP-2C	022315377684	-	Classic BBU: MBSP-2 (above) with Primary Pump (MS33V10)	31
MBSP-3	022315368408	-	Connected BBU: 12V secondary pump with 8' cord. 1-1/4" Discharge & 3/16" Solids Handling. Internet connected for alerts.	17
MBSP-3C	022315377691	-	Connected BBU: MBSP-3 (above) with Primary Pump (MS33V10). Internet connected for alerts.	32
BAT40	022315368217	-	40 AH Battery, provides 4,800 gallons per charge or 5 hours continuous run	33

SPECIALTY PUMPS

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS	
HIGH TEMPERATURE - CAST IRON											
S40HT-11P-01	054128307008	26609D010	1/3	1	115	20'	PT	1-1/2"	3/4"	42	
S40HT-11-01	054128307008	26609D000	1/3	1	115	20'	M	1-1/2"	3/4"	39	
S50HTPC1*	022315316867	27446A000	1/2	1	115	20'	PT	2"	3/4"	64	
PW217-280	022315329577	-	Simplex Panel - S50HT control box with high temperature float switch.						-	-	8
27400A245	-	27400A245	Duplex Panel - S50HT control box						-	-	5
<i>*Panel required. Hi temp floats sold separately</i>											
HAZARDOUS LOCATION PUMPS - CAST IRON											
SX50-21	054128305264	26857E611	1/2	1	230	20'	M*	2"	2"	83	
SX50H-21	054128305271	26858E611	1/2	1	230	20'	M*	1-1/2"	3/4"	83	
SX50-01	054128305257	26857E610	1/2	1	200	20'	M*	2"	2"	85	
SX50H-01	054128305431	26858E610	1/2	1	200	20'	M*	1-1/2"	3/4"	85	
SX50-03	054128830971	26857E612	1/2	3	200	20'	M*	2"	2"	82	
SX50H-03	054128305318	26858E612	1/2	3	200	20'	M*	1-1/2"	3/4"	82	
SX50-23	054128305288	26857E613	1/2	3	230	20'	M*	2"	2"	84	
SX50H-23	054128305295	26858E613	1/2	3	230	20'	M*	1-1/2"	3/4"	83	
SX50-43	054128305325	26857E614	1/2	3	460	20'	M*	2"	2"	82	
SX50H-43	054128305301	26858E614	1/2	3	460	20'	M*	1-1/2"	3/4"	84	
SX50-53	054128305332	26857E615	1/2	3	575	20'	M*	2"	2"	83	
SX50H-53	054128305349	26858E615	1/2	3	575	20'	M*	1-1/2"	3/4"	84	
SX150H-01	-	28210E600	1-1/2	1	200	20'	M*	1-1/2"	3/4"	103	
SX150H-21	-	28210E601	1-1/2	1	230	20'	M*	1-1/2"	3/4"	103	
SX150H-03	-	28210E602	1-1/2	3	200	20'	M*	1-1/2"	3/4"	103	
SX150H-23	-	28210E603	1-1/2	3	230	20'	M*	1-1/2"	3/4"	103	
SX150H-43	-	28210E604	1-1/2	3	460	20'	M*	1-1/2"	3/4"	103	
SX150H-53	-	28210E605	1-1/2	3	575	20'	M*	1-1/2"	3/4"	103	
SX200H-01	-	28210E610	2	1	200	20'	M*	1-1/2"	3/4"	103	
SX200H-21	-	28210E611	2	1	230	20'	M*	1-1/2"	3/4"	103	
SX200H-03	-	28210E612	2	3	200	20'	M*	1-1/2"	3/4"	103	
SX200H-23	-	28210E613	2	3	230	20'	M*	1-1/2"	3/4"	103	
SX200H-43	-	28210E614	2	3	460	20'	M*	1-1/2"	3/4"	103	
SX200H-53	-	28210E615	2	3	575	20'	M*	1-1/2"	3/4"	103	
<i>*Must be used with CEX panels - Sold Separately</i>											

EFFLUENT PUMPS

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MEOSP50 SERIES - CAST IRON OR BRONZE										
MEOSP50A1 10	022315378636	28214D000	1/2	1	115	10'	PD	1-1/2" or 2"	5/8"	48
MEOSP50A1 20	022315378643	28214D001	1/2	1	115	20'	PD	1-1/2" or 2"	5/8"	49
MEOSP50A2 20	022315378650	28214D002	1/2	1	230	20'	PD	1-1/2" or 2"	5/8"	45
MEOSP50M1 10	022315378667	28214D010	1/2	1	115	10'	M	1-1/2" or 2"	5/8"	47
MEOSP50M1 20	022315378674	28214D011	1/2	1	115	20'	M	1-1/2" or 2"	5/8"	48
MEOSP50M2 20	022315378681	28214D012	1/2	1	230	20'	M	1-1/2" or 2"	5/8"	48
MEOSP50BRA1 10	022315378698	28214D100	1/2	1	115	10'	PD	1-1/2" or 2"	5/8"	48
MEOSP50BRA1 20	022315378704	28214D101	1/2	1	115	20'	PD	1-1/2" or 2"	5/8"	49
MEOSP50AB1 20	022315378728	28214D400	1/2	1	115	20'	PD	1-1/2" or 2"	5/8"	53
MEOSP50BRM1 10	022315378735	28214D110	1/2	1	115	10'	M	1-1/2" or 2"	5/8"	47
MEOSP50BRM1 20	022315378742	28214D111	1/2	1	115	20'	M	1-1/2" or 2"	5/8"	48
<i>Must order 3 BR KIT for optional 2" discharge</i>										
ME3 SERIES - CAST IRON										
ME3H-11	054128307022	26228D000	1/3	1	115	20'	M	1-1/2"	3/4"	37
ME3H-11P	054128307046	26228D010	1/3	1	115	20'	PT	1-1/2"	3/4"	38
ME3H-21	054128307060	26228D001	1/3	1	230	20'	M	1-1/2"	3/4"	37
ME3F-11	054128307107	26229D000	1/3	1	115	20'	M	1-1/2"	3/4"	37
ME3F-11P	054128307121	26229D010	1/3	1	115	20'	PT	1-1/2"	3/4"	38
ME3F-21	054128307145	26229D001	1/3	1	230	20'	M	1-1/2"	3/4"	37
ME3F-21P	054128307169	26229D011	1/3	1	230	20'	PT	1-1/2"	3/4"	38
ME4 SERIES - CAST IRON										
ME40110T	022315381353	-	4/10	1	115	10'	PT	1-1/2"	1/2"	29
ME40120M	022315381360	-	4/10	1	115	20'	M	1-1/2"	1/2"	28
ME40120T	022315381377	-	4/10	1	115	20'	PT	1-1/2"	1/2"	29
ME40 SERIES - CAST IRON AND THERMOPLASTIC										
ME40A-11	054128307183	25300D000	4/10	1	115	10'	T	1-1/2"	3/4"	27
ME40AC-11	054128307206	25300D010	4/10	1	115	20'	T	1-1/2"	3/4"	28
ME40M-11	054128307220	25300D001	4/10	1	115	10'	M	1-1/2"	3/4"	26
ME40MC-11	054128307244	25300D011	4/10	1	115	20'	M	1-1/2"	3/4"	27
ME40AC-21	054128307268	25300D012	4/10	1	230	20'	T	1-1/2"	3/4"	28
ME40MC-21	054128307282	25300D013	4/10	1	230	20'	M	1-1/2"	3/4"	27
ME40P-1	054128307305	25300D900	4/10	1	115	10'	PT	1-1/2"	3/4"	28
ME40PC-1	054128307329	25300D901	4/10	1	115	20'	PT	1-1/2"	3/4"	29
ME40PC-2	054128307343	25300D903	4/10	1	230	20'	PT	1-1/2"	3/4"	29
ME40-CI SERIES - CAST IRON										
ME40MC-11-CI	022315367449	-	4/10	1	115	20'	M	2"	3/4"	33
ME40MC-11-CI 30	022315367456	-	4/10	1	115	30'	M	2"	3/4"	34
ME40PC-11-CI	022315367463	-	4/10	1	115	20'	PT	2"	3/4"	34



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
ME45 SERIES - CAST IRON										
ME45MC-11	054128202211	-	1/2	1	115	20'	M	2"	3/4"	58
ME45MC-11 30	022315345195	-	1/2	1	115	30'	M	2"	3/4"	60
ME45MC-11 50	022315345201	-	1/2	1	115	50'	M	2"	3/4"	62
ME45AC-11	022315345218	-	1/2	1	115	20'	PT	2"	3/4"	58
ME45MC-21	022315342354	-	1/2	1	230	20'	M	2"	3/4"	58
ME45AC-21	022315345249	-	1/2	1	230	20'	PT	2"	3/4"	58
ME7 SERIES - CAST IRON										
ME750120T	-	-	1/2	1	115	20'	PT	2"	3/4"	62
ME750120M	-	-	1/2	1	115	20'	M	2"	3/4"	60
ME750220M	-	-	1/2	1	230	20'	M	2"	3/4"	66
MESPD SERIES - CAST IRON										
MESPD50AH1 10	022315378766	28215D000	1/2	1	115	10'	PD	2" or 3"	3/4"	75
MESPD50AH1 20	022315378773	28215D001	1/2	1	115	20'	PD	2" or 3"	3/4"	76
MESPD50AH2 20	022315378780	28215D002	1/2	1	230	20'	PD	2" or 3"	3/4"	76
MESPD50MH1 10	022315378797	28215D011	1/2	1	115	10'	M	2" or 3"	3/4"	74
MESPD50MH1 20	022315378803	28215D014	1/2	1	115	20'	M	2" or 3"	3/4"	75
MESPD50MH1-2*	022315378810	28215D010	1/2	1	115	10'	M	2" or 3"	3/4"	74
MESPD50MH1-2*	022315378827	28215D013	1/2	1	115	20'	M	2" or 3"	3/4"	75
MESPD50MH2 20	022315378834	28215D015	1/2	1	230	20'	M	2" or 3"	3/4"	76
MESPD50MH2-2*	022315378841	28215D012	1/2	1	230	20'	M	2" or 3"	3/4"	76
MESPD50MH6 20*	022315378858	28215D021	1/2	3	200	20'	M	2" or 3"	3/4"	75
MESPD50MH3 20*	022315378865	28215D023	1/2	3	230	20'	M	2" or 3"	3/4"	75
MESPD50MH4 20*	022315378872	28215D022	1/2	3	460	20'	M	2" or 3"	3/4"	75
MESPD100AH2 20	022315378896	28215D100	1	1	230	20'	PT	2" or 3"	3/4"	73
MESPD100MH2 20	022315378902	28215D111	1	1	230	20'	M	2" or 3"	3/4"	73
MESPD100MH2-2*	022315378919	28215D113	1	1	230	20'	M	2" or 3"	3/4"	73
MESPD100MH6 20	022315378926	28215D120	1	3	200	20'	M	2" or 3"	3/4"	73
MESPD100MH3 20	022315378933	28215D112	1	3	230	20'	M	2" or 3"	3/4"	73
MESPD100MH4 20	022315378940	28215D115	1	3	460	20'	M	2" or 3"	3/4"	73
MESPD100MH5 20	022315378957	28215D114	1	3	575	20'	M	2" or 3"	3/4"	73
*Seal Fail Option										
Must order 513520137 Flange for MESPD to convert to 3"										



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
ME SERIES - SINGLE SEAL - CAST IRON										
ME50S-11	054128307367	25325D007	1/2	1	115	20'	M	2"	3/4"	73
ME50S-11B	054128313672	25325D107	1/2	1	115	20'	M	2"	3/4"	73
ME50S-01	054128307381	25325D008	1/2	1	200	20'	M	2"	3/4"	73
ME50S-21	054128307404	25325D009	1/2	1	230	20'	M	2"	3/4"	74
ME50S-21-50	-	27590A004	1/2	1	230	50'	M	2"	3/4"	82
ME50S-03	054128307428	25325D010	1/2	3	200	20'	M	2"	3/4"	74
ME50S-23	054128307442	25325D011	1/2	3	230	20'	M	2"	3/4"	74
ME50S-43	054128307466	25325D012	1/2	3	460	20'	M	2"	3/4"	74
ME50S-53	054128307480	25325D013	1/2	3	575	20'	M	2"	3/4"	74
ME75S-01	054128307503	25325D015	3/4	1	200	20'	M	2"	3/4"	81
ME75S-21	054128307527	25325D016	3/4	1	230	20'	M	2"	3/4"	81
ME75S-21L/P	054128833590	25325D038	3/4	1	230	20'	M	2"	3/4"	82
ME75S-03	054128307541	25325D017	3/4	3	200	20'	M	2"	3/4"	81
ME75S-23	054128307565	25325D018	3/4	3	230	20'	M	2"	3/4"	81
ME75S-43	054128307589	25325D019	3/4	3	460	20'	M	2"	3/4"	81
ME75S-53	054128307602	25325D020	3/4	3	575	20'	M	2"	3/4"	81
ME100S-01	054128307626	25325D021	1	1	200	20'	M	2"	3/4"	83
ME100S-21	054128307640	25325D022	1	1	230	20'	M	2"	3/4"	83
ME100S-21B	054128313948	25325D122	1	1	230	20'	M	2"	3/4"	83
ME100S-21L/P	054128833613	25325D040	1	1	230	20'	M	2"	3/4"	83
ME100S-03	054128307664	25325D023	1	3	200	20'	M	2"	3/4"	83
ME100S-23	054128307688	25325D024	1	3	230	20'	M	2"	3/4"	83
ME100S-43	054128307701	25325D025	1	3	460	20'	M	2"	3/4"	83
ME100S-53	054128307725	25325D026	1	3	575	20'	M	2"	3/4"	83
ME150S-01	054128307763	25325D027	1-1/2	1	200	20'	M	2"	3/4"	84
ME150S-21	054128307787	25325D028	1-1/2	1	230	20'	M	2"	3/4"	84
ME150S-21L/P	054128833637	25325D042	1-1/2	1	230	20'	M	2"	3/4"	82
ME150S-03	054128307800	25325D029	1-1/2	3	200	20'	M	2"	3/4"	85
ME150S-23	054128307824	25325D030	1-1/2	3	230	20'	M	2"	3/4"	85
ME150S-43	054128307848	25325D031	1-1/2	3	460	20'	M	2"	3/4"	85
ME150S-53	054128307862	25325D032	1-1/2	3	575	20'	M	2"	3/4"	85



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
ME SERIES - DOUBLE SEAL - CAST IRON										
ME50D-01	054128310022	25326D008	1/2	1	200	20'	M	2"	3/4"	88
ME50D-21	054128310046	25326D009	1/2	1	230	20'	M	2"	3/4"	88
ME50D-03	054128310060	25326D010	1/2	3	200	20'	M	2"	3/4"	88
ME50D-23	054128310084	25326D011	1/2	3	230	20'	M	2"	3/4"	88
ME50D-33	-	27590A682	1/2	3	380	20'	M	2"	3/4"	88
ME50D-43	054128310107	25326D012	1/2	3	460	20'	M	2"	3/4"	88
ME50D-53	054128310121	25326D013	1/2	3	575	20'	M	2"	3/4"	88
ME75D-01	054128310145	25326D015	3/4	1	200	20'	M	2"	3/4"	95
ME75D-21	054128310169	25326D016	3/4	1	230	20'	M	2"	3/4"	95
ME75D-03	054128310183	25326D017	3/4	3	200	20'	M	2"	3/4"	95
ME75D-23	054128310206	25326D018	3/4	3	230	20'	M	2"	3/4"	95
ME75D-43	054128310220	25326D019	3/4	3	460	20'	M	2"	3/4"	95
ME75D-53	054128310244	25326D020	3/4	3	575	20'	M	2"	3/4"	95
ME100D-01	054128310268	25326D021	1	1	200	20'	M	2"	3/4"	97
ME100D-21	054128310282	25326D022	1	1	230	20'	M	2"	3/4"	97
ME100D-21B	054128314488	25326D122	1	1	230	20'	M	2"	3/4"	97
ME100D-03	054128310305	25326D023	1	3	200	20'	M	2"	3/4"	97
ME100D-23	054128310329	25326D024	1	3	230	20'	M	2"	3/4"	97
ME100D-33	-	27590A747	1	3	380	20'	M	2"	3/4"	97
ME100D-43	054128310343	25326D025	1	3	460	20'	M	2"	3/4"	97
ME100D-53	054128310367	25326D026	1	3	575	20'	M	2"	3/4"	97
ME150D-01	054128310381	25326D027	1-1/2	1	200	20'	M	2"	3/4"	98
ME150D-21	054128310404	25326D028	1-1/2	1	230	20'	M	2"	3/4"	98
ME150D-03	054128310428	25326D029	1-1/2	3	200	20'	M	2"	3/4"	98
ME150D-23	054128310442	25326D030	1-1/2	3	230	20'	M	2"	3/4"	98
ME150D-43	054128310466	25326D031	1-1/2	3	460	20'	M	2"	3/4"	98
ME150D-53	054128310480	25326D032	1-1/2	3	575	20'	M	2"	3/4"	98



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MES SERIES - CAST IRON										
MES50A1 20	022315378964	28216D000	1/2	1	115	20'	PT	2"	3/4"	58
MES50A1 30	022315378971	28216D001	1/2	1	115	30'	PT	2"	3/4"	58
MES50A2 20	022315378988	28216D002	1/2	1	230	20'	PT	2"	3/4"	58
MES50M1 20	022315379008	28216D004	1/2	1	115	20'	M	2"	3/4"	58
MES50M1 30	022315379015	28216D005	1/2	1	115	30'	M	2"	3/4"	60
MES50M2 20	022315379022	28216D006	1/2	1	230	20'	M	2"	3/4"	58
MES50M3 20	022315379046	28216D008	1/2	3	230	20'	M	2"	3/4"	58
MES50M3 30	022315379053	28216D009	1/2	3	230	30'	M	2"	3/4"	60
MES50M4 20	022315379060	28216D010	1/2	3	460	20'	M	2"	3/4"	58
MES50M4 30	022315379077	28216D011	1/2	3	460	30'	M	2"	3/4"	60
MES100A2 20	022315379107	28216D100	1	1	230	20'	PT	2"	3/4"	65
MES100A2 30	022315379114	28216D101	1	1	230	30'	PT	2"	3/4"	67
MES100M2 20	022315379121	28216D102	1	1	230	20'	M	2"	3/4"	65
MES100M2 30	022315379138	28216D103	1	1	230	30'	M	2"	3/4"	67
MES100M3 20	022315379145	28216D104	1	3	230	20'	M	2"	3/4"	65
MES100M4 20	022315379169	28216D106	1	3	460	20'	M	2"	3/4"	65
MES100M4 30	022315379176	28216D107	1	3	460	30'	M	2"	3/4"	67
P SERIES - DOUBLE SEALS - CAST IRON										
P51S	-	25345D015	1/2	1	115	20'	M	1-1/2"	3/4"	84
P52	054128656113	25345D011	1/2	1	230	20'	M	1-1/2"	3/4"	84
P52D	054128656090	25345D001	1/2	1	230	20'	M	1-1/2"	3/4"	84
P102	054128404608	25345D012	1	1	230	20'	M	1-1/2"	3/4"	87
P102-30	-	27590A192	1	1	230	30'	M	1-1/2"	3/4"	92
P102D	054128656205	25345D002	1	1	230	20'	M	1-1/2"	3/4"	87
P102L/P	054128656229	25345D014	1	1	230	20'	M	1-1/2"	3/4"	87
<i>Pumps with 'D' in catalog number include dual seal leak detector probes</i>										
DE SERIES - STAINLESS STEEL										
DE40PC1	022315317338	-	4/10	1	115	20'	PT	2"	1-1/2"	19
DE50PC1	022315317345	-	1/2	1	115	20'	PT	2"	1-1/2"	20

HIGH HEAD EFFLUENT PUMPS

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	GPM SERIES	DISCHARGE	SOLIDS HANDLING	LBS
HIGH HEAD FILTERED EFFLUENT										
2NFL51-8EP-01	054128305813	-	1/2	1	115	10'	8	1-1/4"	1/16"	34
2NFL52-8E-01	054128305820	-	1/2	1	230	10'	8	1-1/4"	1/16"	34
2NFL72-8E-01	054128305844	-	3/4	1	230	10'	8	1-1/4"	1/16"	38
2NFL102-8E-01	054128305868	-	1	1	230	10'	8	1-1/4"	1/16"	43
2NFL52-12E-01	054128305905	-	1/2	1	230	10'	12	1-1/4"	1/16"	32
2NFL72-12E-01	054128305929	-	3/4	1	230	10'	12	1-1/4"	1/16"	37
2NFL102-12E-01	054128305943	-	1	1	230	10'	12	1-1/4"	1/16"	41
2NFL51-20EP-01	054128305974	-	1/2	1	115	10'	20	1-1/4"	1/16"	29
2NFL52-20E-01	054128305981	-	1/2	1	230	10'	20	1-1/4"	1/16"	29
2NFL72-20E-01	054128306001	-	3/4	1	230	10'	20	1-1/4"	1/16"	34
2NFL102-20E-01	054128306025	-	1	1	230	10'	20	1-1/4"	1/16"	39
2NFL152-20E-01	054128306049	-	1-1/2	1	230	10'	20	1-1/4"	1/16"	46
J0525BE-01	-	-	1/2	1	115	10'	25	2"	1/16"	37
J1025BE-01	054128306223	-	1	1	230	10'	25	2"	1/16"	46
J1525BE-01	054128306247	-	1-1/2	1	230	10'	25	2"	1/16"	52
J1035BE-01	054128306261	-	1	1	230	10'	35	2"	1/16"	45
J1535BE-01	054128306285	-	1-1/2	1	230	10'	35	2"	1/16"	51
2NFL51-12EP-01	054128305899	-	1/2	1	115	10'	12	1-1/4"	1/16"	32
2NFL51-12EP-30-01	-	-	1/2	1	115	30'	12	1-1/4"	1/16"	35
2NFL51-8EP-30-01	-	-	1/2	1	115	30'	8	1-1/4"	1/16"	24
10MD05121-01	022315377899	27458B105	1/2	1	115	10'	10	1-1/4"	1/16"	19
20DOM05121+1-01	022315377929	-	1/2	1	115	10'	20	1-1/4"	1/16"	17
20DOM05221+1-01	022315377943	-	1/2	1	230	10'	20	1-1/4"	1/16"	17
20MD05121-01	022315377875	27458B205	1/2	1	115	10'	20	1-1/4"	1/16"	19
30MD05121-01	022315377905	27458B305	1/2	1	115	10'	30	1-1/4"	1/16"	19
30DOM05221-01	022315377967	-	1/2	1	230	10'	30	1-1/4"	1/16"	19

**"DOM" series are Sta-Rite branded on-site effluent products*

SEWAGE PUMPS

SEWAGE PUMPS										
MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
SRM4 SERIES - CAST IRON										
SRM4P-1	054128300405	26236D010	4/10	1	115	10'	PT	2"	2"	40
SRM4PC-1	054128300429	26236D011	4/10	1	115	20'	PT	2"	2"	40
SRM4M1C	054128300443	26236D001	4/10	1	115	20'	M	2"	2"	39
SRM4PC-2	054128300467	26236D013	4/10	1	230	20'	PT	2"	2"	40
SRM4M2C	054128300481	26236D003	4/10	1	230	20'	M	2"	2"	39
SRM4P-1-30	054128831060	26236D998	4/10	1	115	30'	PT	2"	2"	37
SRM4S-1	054128831077	26236D051	4/10	1	115	10'	M	2"	2"	34
SRM4V-1	054128300450	26236D041	4/10	1	115	20'	PV	2"	2"	40
SRM4V-2	054128300474	26236D043	4/10	1	230	20'	PV	2"	2"	40
SRM4D-1	-	26236D061	4/10	1	115	20'	PD	2"	2"	40
MSE50 SERIES - CAST IRON - WITH 2-POLE SWITCH - AVAILABLE IN Q1										
MSE5012P10	-	-	1/2	1	115	10'	V	2"	2"	44
MSE5022P10	-	-	1/2	1	230	10'	V	2"	2"	44
MSE5012P20	-	-	1/2	1	115	20'	V	2"	2"	44
MSE5022P20	-	-	1/2	1	230	20'	V	2"	2"	44
MSP40 SERIES - CAST IRON										
MSP40A110	022315381445	-	4/10	1	115	10'	PD	2"	1-1/4"	47
MSP40A120	022315381452	-	4/10	1	115	20'	PD	2"	1-1/4"	48
MSP40A220	022315381469	-	4/10	1	230	20'	PD	2"	1-1/4"	48
MSP40M110	022315381476	-	4/10	1	115	10'	M	2"	1-1/4"	45
MSP40M120	022315381483	-	4/10	1	115	20'	M	2"	1-1/4"	48
MSP40M220	022315381490	-	4/10	1	230	20'	M	2"	1-1/4"	48
MSP50 SERIES - CAST IRON										
MSP50A1 10	022315379206	28217D000	1/2	1	115	10'	PD	2" (Opt 3")	1-1/2"	62
MSP50A1 20	022315379213	28217D001	1/2	1	115	20'	PD	2" (Opt 3")	1-1/2"	64
MSP50A2 10	022315379220	28217D002	1/2	1	230	10'	PD	2" (Opt 3")	1-1/2"	62
MSP50A2 20	022315379237	28217D003	1/2	1	230	20'	PD	2" (Opt 3")	1-1/2"	64
MSP50AB1 20	022315379244	28217D100	1/2	1	115	20'	PD	2" (Opt 3")	1-1/2"	77
MSP50M1 10	022315379251	28217D004	1/2	1	115	10'	M	2" (Opt 3")	1-1/2"	61
MSP50M1 20	022315379268	28217D005	1/2	1	115	20'	M	2" (Opt 3")	1-1/2"	62
MSP50M7 20	022315379275	28217D006	1/2	1	200	20'	M	2" (Opt 3")	1-1/2"	62
MSP50M2 10	022315379282	28217D007	1/2	1	230	10'	M	2" (Opt 3")	1-1/2"	61
MSP50M2 20	022315379299	28217D008	1/2	1	230	20'	M	2" (Opt 3")	1-1/2"	62
MSP50M6 20	022315379305	28217D009	1/2	3	200	20'	M	2" (Opt 3")	1-1/2"	62
MSP50M3 20	022315379312	28217D010	1/2	3	230	20'	M	2" (Opt 3")	1-1/2"	62
MSP50M4 20	022315379329	28217D011	1/2	3	460	20'	M	2" (Opt 3")	1-1/2"	62
MSP50M5 20	022315379336	28217D012	1/2	3	575	20'	M	2" (Opt 3")	1-1/2"	62
<i>Must order 513520137 Flange for MSP50 to convert to 3" where applicable)</i>										
<i>Must order 513520147 for MSP50AB1 all bronze 3" flange</i>										

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MWS SERIES - CAST IRON										
MWS550110T	-	-	1/2	1	115	10'	PT	2"	2"	30
MWS550120T	-	-	1/2	1	115	20'	PT	2"	2"	30
MWS550120M	-	-	1/2	1	115	20'	M	2"	2"	36
MWS SERIES - CAST IRON										
MWS3750120T	-	-	1/2	1	115	20'	PT	3"	2"	64
MWS3775120T	-	-	3/4	1	115	20'	PT	3"	2"	66
MWS3775220T	-	-	3/4	1	230	20'	PT	3"	2"	66
MWS SERIES - CAST IRON										
MWS9100220M	-	-	1	1	230	20'	M	2"	2"	119
MWS9150220M	-	-	1-1/2	1	230	20'	M	2"	2"	119
MWS9150420M	-	-	1-1/2	3	460	20'	M	2"	2"	119
MWS9200220M	-	-	2	1	230	20'	M	2"	2"	119
MWS9200420M	-	-	2	3	460	20'	M	2"	2"	119
MWS9100220T	-	-	1	1	230	20'	PT	2"	2"	119
MWS39100220T	-	-	1	1	230	20'	PT	3"	2"	122
MWS39100220M	-	-	1	1	230	20'	M	3"	2"	122
MWS39100520M	-	-	1	3	575	20'	M	3"	2"	122
MWS39150220M	-	-	1-1/2	1	230	20'	M	3"	2"	122
MWS39150520M	-	-	1-1/2	3	575	20'	M	3"	2"	122
MWS39200220M	-	-	2	1	230	20'	M	3"	2"	122
MWS39200320M	-	-	2	3	230	20'	M	3"	2"	122
MWS39200520M	-	-	2	3	575	20'	M	3"	2"	122
CMV5 SERIES - CAST IRON AND THERMOPLASTIC										
CMV5A-11	054128300665	24682D100	1/2	1	115	20'	T	2"	2"	24
CMV5M-11	054128300672	24682D101	1/2	1	115	20'	M	2"	2"	23
MW50 SERIES - CAST IRON										
MW50-11	054128302027	26088D001	1/2	1	115	20'	M	2"	2"	42
MW50-11P	054128302041	26088D901	1/2	1	115	20'	PT	2"	2"	43
MW50-21	054128302065	26088D003	1/2	1	230	20'	M	2"	2"	42
MW50-21P	54128302009	26088D903	1/2	1	230	20'	PT	2"	2"	43
MSKV50 SERIES - CAST IRON										
MSKV50AD110	022315381384	-	1/2	1	115	10'	PD	2"	2"	53
MSKV50AD120	022315381391	-	1/2	1	115	20'	PD	2"	2"	53
MSKV50AW110	022315381407	-	1/2	1	115	10'	PT	2"	2"	53
MSKV50M120	022315381537	-	1/2	1	115	20'	M	2"	2"	51
MSKV50AW120	022315381414	-	1/2	1	115	20'	PT	2"	2"	53
MSKV50M110	022315381421	-	1/2	1	115	10'	M	2"	2"	51
MSKV50M220	022315381438	-	1/2	1	230	20'	M	2"	2"	51

Must order 513520137 Flange for MSK50 to convert to 3"

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MSK50 SERIES - CAST IRON										
MSK50A1 10	022315379343	28219D000	1/2	1	115	10'	PT	2" (Opt 3")	2"	55
MSK50A1 20	022315379350	28219D001	1/2	1	115	20'	PT	2" (Opt 3")	2"	56
MSK50M1 10	022315379367	28219D002	1/2	1	115	10'	M	2" (Opt 3")	2"	54
MSK50M1 20	022315379374	28219D003	1/2	1	115	20'	M	2" (Opt 3")	2"	53
MSK50M2 20	022315379381	28219D004	1/2	1	230	20'	M	2" (Opt 3")	2"	53
<i>Must order 513520137 Flange for MSK50 to convert to 3"</i>										
MSK60 SERIES - CAST IRON										
MSK60A1 10	022315379398	28219D100	6/10	1	115	10'	PD	2" (Opt 3")	2"	61
MSK60A1 20	022315379404	28219D101	6/10	1	115	20'	PD	2" (Opt 3")	2"	63
MSK60A2 20	022315379411	28219D102	6/10	1	230	20'	PD	2" (Opt 3")	2"	65
MSK60M1 20	022315379428	28219D103	6/10	1	115	20'	M	2" (Opt 3")	2"	61
MSK60M7 20	022315379435	28219D104	6/10	1	200	20'	M	2" (Opt 3")	2"	63
MSK60M2 20	022315379442	28219D105	6/10	1	230	20'	M	2" (Opt 3")	2"	63
MSK60M6 20	022315379459	28219D106	6/10	3	200	20'	M	2" (Opt 3")	2"	61
MSK60M3 20	022315379466	28219D107	6/10	3	230	20'	M	2" (Opt 3")	2"	63
MSK60M4 20	022315379473	28219D108	6/10	3	460	20'	M	2" (Opt 3")	2"	63
<i>Must order 513520137 Flange for MSK60 to convert to 3"</i>										
MSK75 SERIES - CAST IRON										
MSK75M7 20	022315379497	28219D200	3/4	1	200	20'	M	2" (Opt 3")	2"	76
MSK75M2 20	022315379503	28219D201	3/4	1	230	20'	M	2" (Opt 3")	2"	76
MSK75M6 20	022315379510	28219D202	3/4	3	200	20'	M	2" (Opt 3")	2"	76
MSK75M3 20	022315379527	28219D203	3/4	3	230	20'	M	2" (Opt 3")	2"	63
MSK75M4 20	022315379534	28219D204	3/4	3	460	20'	M	2" (Opt 3")	2"	64
<i>Must order 513520137 Flange for MSK75 to convert to 3"</i>										
MSK100 SERIES - CAST IRON										
MSK100M7 20	022315379558	28219D300	1	1	200	20'	M	2" (Opt 3")	2"	78
MSK100M2 20	022315379565	28219D301	1	1	230	20'	M	2" (Opt 3")	2"	78
MSK100M6 20	022315379572	28219D302	1	3	200	20'	M	2" (Opt 3")	2"	76
MSK100M3 20	022315379589	28219D303	1	3	230	20'	M	2" (Opt 3")	2"	76
MSK100M4 20	022315379596	28219D304	1	3	460	20'	M	2" (Opt 3")	2"	76
MSK100M7 20	-	28219D306	1	1	200	20'	M	2" (Opt 3")	2"	69
<i>Must order 513520137 Flange for MSK100 to convert to 3"</i>										

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MSKHS SERIES - CAST IRON										
MSKHS50M1 20	022315379619	28220D000	1/2	1	115	20'	M	2" (Opt 3")	2"	76
MSKHS50A1 20	022315379633	28220D002	1/2	1	115	20'	PT	2" (Opt 3")	2"	76
MSKHS50M2 20	022315379640	28220D003	1/2	1	230	20'	M	2" (Opt 3")	2"	76
MSKHS50M2 30	022315379657	28220D004	1/2	1	230	30'	M	2" (Opt 3")	2"	76
MSKHS50A2 20	022315379664	28220D005	1/2	1	230	20'	PT	2" (Opt 3")	2"	76
MSKHS50A7 20	022315379671	28220D006	1/2	1	200	20'	PT	2" (Opt 3")	2"	76
MSKHS50M3 20	022315379688	28220D007	1/2	3	230	20'	M	2" (Opt 3")	2"	76
MSKHS50M4 20	022315379701	28220D009	1/2	3	460	20'	M	2" (Opt 3")	2"	76
MSKHS50M4 30	022315379718	28220D010	1/2	3	460	30'	M	2" (Opt 3")	2"	76
MSKHS50M5 20	022315379725	28220D011	1/2	3	575	20'	M	2" (Opt 3")	2"	76
MSKHS50M6 20	022315379749	28220D013	1/2	3	200	20'	M	2" (Opt 3")	2"	76
MSKHS50M7 20	022315379763	28220D015	1/2	1	200	20'	M	2" (Opt 3")	2"	76
MSKHS50M7 30	022315379770	28220D016	1/2	1	200	30'	M	2" (Opt 3")	2"	76
MSKHS100M2 20	022315379787	28220D100	1	1	230	20'	M	2" (Opt 3")	2"	78
MSKHS100M2 30	022315379794	28220D101	1	1	230	30'	M	2" (Opt 3")	2"	78
MSKHS100A2 20	022315379800	28220D102	1	1	230	20'	PT	2" (Opt 3")	2"	78
MSKHS100A7 20	022315379817	28220D103	1	1	200	20'	PT	2" (Opt 3")	2"	78
MSKHS100M3 20	022315379824	28220D104	1	3	230	20'	M	2" (Opt 3")	2"	78
MSKHS100M3 30	022315379831	28220D105	1	3	230	30'	M	2" (Opt 3")	2"	78
MSKHS100M4 20	022315379848	28220D106	1	3	460	20'	M	2" (Opt 3")	2"	78
MSKHS100M4 30	022315379855	28220D107	1	3	460	30'	M	2" (Opt 3")	2"	78
MSKHS100M6 20	022315379886	28220D110	1	3	200	20'	M	2" (Opt 3")	2"	78
MSKHS100M6 30	022315379893	28220D111	1	3	200	30'	M	2" (Opt 3")	2"	78
MSKHS100M7 20	022315379909	28220D112	1	1	200	20'	M	2" (Opt 3")	2"	78

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MSKHS150M2 20	022315379923	28220D150	1-1/2	1	230	20'	M	2" (Opt 3")	2"	76
MSKHS150M2 30	022315379930	28220D151	1-1/2	1	230	30'	M	2" (Opt 3")	2"	76
MSKHS150A2 20	022315379947	28220D152	1-1/2	1	230	20'	PT	2" (Opt 3")	2"	76
MSKHS150M3 20	022315379961	28220D154	1-1/2	3	230	20'	M	2" (Opt 3")	2"	76
MSKHS150M4 20	022315379985	28220D156	1-1/2	3	460	20'	M	2" (Opt 3")	2"	76
MSKHS150M4 30	022315379992	28220D157	1-1/2	3	460	30'	M	2" (Opt 3")	2"	76
MSKHS150M6 20	022315380028	28220D160	1-1/2	3	200	20'	M	2" (Opt 3")	2"	76
MSKHS150M6 30	022315380035	28220D161	1-1/2	3	200	30'	M	2" (Opt 3")	2"	76
MSKHS150M7 20	022315380042	28220D162	1-1/2	1	200	20'	M	2" (Opt 3")	2"	76
MSKHS150M7 30	022315380059	28220D163	1-1/2	1	200	30'	M	2" (Opt 3")	2"	76
MSKHS200M2 20	022315380066	28220D200	2	1	230	20'	M	2" (Opt 3")	2"	78
MSKHS200M2 30	022315380073	28220D201	2	1	230	30'	M	2" (Opt 3")	2"	78
MSKHS200M3 20	022315380080	28220D202	2	3	230	20'	M	2" (Opt 3")	2"	78
MSKHS200M3 30	022315380097	28220D203	2	3	230	30'	M	2" (Opt 3")	2"	78
MSKHS200M4 20	022315380103	28220D204	2	3	460	20'	M	2" (Opt 3")	2"	78
MSKHS200M4 30	022315380110	28220D205	2	3	460	30'	M	2" (Opt 3")	2"	78
MSKHS200M6 20	022315380141	28220D208	2	3	200	20'	M	2" (Opt 3")	2"	78
MSKHS200M6 30	022315380158	28220D209	2	3	200	30'	M	2" (Opt 3")	2"	78

Must order 513520137 Flange for MSKHS to convert to 3"



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MW SERIES - SINGLE SEAL - CAST IRON										
MWH50-01	054128302126	26089D015	1/2	1	200	20'	M	2"	2"	84
MWH50-01P	054128302140	26089D013	1/2	1	200	20'	PT	2"	2"	84
MWH50-21	054128302164	26089D016	1/2	1	230	20'	M	2"	2"	84
MWH50-21P	054128302188	26089D014	1/2	1	230	20'	PT	2"	2"	84
MWH50-03	054128302201	26089D017	1/2	3	200	20'	M	2"	2"	84
MWH50-23	054128302225	26089D018	1/2	3	230	20'	M	2"	2"	84
MWH50-43	054128302249	26089D019	1/2	3	460	20'	M	2"	2"	84
MWH50-53	054128302263	26089D020	1/2	3	575	20'	M	2"	2"	84
MWH50-01L/P	054128831121	26089D039	1/2	1	200	20'	M	2"	2"	90
MWH50-21L/P	054128831138	26089D040	1/2	1	230	20'	M	2"	2"	90
MW100-01	054128302287	26089D021	1	1	200	20'	M	2"	2"	86
MW100-21	054128302300	26089D022	1	1	230	20'	M	2"	2"	86
MW100-03	054128302324	26089D023	1	3	200	20'	M	2"	2"	86
MW100-23	054128302348	26089D024	1	3	230	20'	M	2"	2"	86
MW100-43	054128302362	26089D025	1	3	460	20'	M	2"	2"	86
MW100-53	054128302386	26089D026	1	3	575	20'	M	2"	2"	86
MW100-01L/P	054128831350	26089D041	1	1	200	20'	M	2"	2"	92
MW100-21L/P	054128831367	26089D042	1	1	230	20'	M	2"	2"	91
MW150-01	054128302409	26089D027	1-1/2	1	200	20'	M	2"	2"	87
MW150-21	054128302423	26089D028	1-1/2	1	230	20'	M	2"	2"	87
MW150-03	054128302447	26089D029	1-1/2	3	200	20'	M	2"	2"	87
MW150-23	054128302461	26089D030	1-1/2	3	230	20'	M	2"	2"	87
MW150-43	054128302485	26089D031	1-1/2	3	460	20'	M	2"	2"	87
MW150-53	054128302508	26089D032	1-1/2	3	575	20'	M	2"	2"	87
MW150-21L/P	054128831381	26089D044	1-1/2	1	230	20'	M	2"	2"	89
MW150-43B	054128313085	26089D131	1-1/2	3	460	20'	M	2"	2"	89
MW200-01	054128302522	26089D033	2	1	200	20'	M	2"	2"	88
MW200-21	054128302546	26089D034	2	1	230	20'	M	2"	2"	88
MW200-03	054128302560	26089D035	2	3	200	20'	M	2"	2"	88
MW200-23	054128302584	26089D036	2	3	230	20'	M	2"	2"	88
MW200-43	054128302621	26089D037	2	3	460	20'	M	2"	2"	88
MW200-53	054128302645	26089D038	2	3	575	20'	M	2"	2"	88
MW200-03B	054128313160	26089D135	2	3	200	20'	M	2"	2"	89
MW200-21L/P	054128831404	26089D046	2	1	230	20'	M	2"	2"	89

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MW SERIES- DOUBLE SEAL - CAST IRON										
MWH50D-01	054128303000	26090D015	1/2	1	200	20'	M	2"	2"	98
MWH50D-03	054128303048	26090D017	1/2	3	200	20'	M	2"	2"	98
MWH50D-21	054128303024	26090D016	1/2	1	230	20'	M	2"	2"	98
MWH50D-23	054128303062	26090D018	1/2	3	230	20'	M	2"	2"	98
MWH50D-43	054128303086	26090D019	1/2	3	460	20'	M	2"	2"	100
MWH50D-53	054128303109	26090D020	1/2	3	575	20'	M	2"	2"	100
MW100D-01	054128303123	26090D021	1	1	200	20'	M	2"	2"	100
MW100D-03	054128303161	26090D023	1	3	200	20'	M	2"	2"	100
MW100D-21	054128303147	26090D022	1	1	230	20'	M	2"	2"	100
MW100D-23	054128303185	26090D024	1	3	230	20'	M	2"	2"	100
MW100D-43	54128303200	26090D025	1	3	460	20'	M	2"	2"	100
MW100D-53	054128303222	26090D026	1	3	575	20'	M	2"	2"	100
MW150D-01	054128303246	26090D027	1-1/2	1	200	20'	M	2"	2"	101
MW150D-03	054128303284	26090D029	1-1/2	3	200	20'	M	2"	2"	101
MW150D-21	054128303260	26090D028	1-1/2	1	230	20'	M	2"	2"	101
MW150D-23	054128303307	26090D030	1-1/2	3	230	20'	M	2"	2"	101
MW150D-43	054128303321	26090D031	1-1/2	3	460	20'	M	2"	2"	101
MW150D-53	054128303345	26090D032	1-1/2	3	575	20'	M	2"	2"	101
MW200D-01	054128303369	26090D033	2	1	200	20'	M	2"	2"	102
MW200D-03	054128303406	26090D035	2	3	200	20'	M	2"	2"	102
MW200D-21	054128303383	26090D034	2	1	230	20'	M	2"	2"	102
MW200D-23	054128303420	26090D036	2	3	230	20'	M	2"	2"	102
MW200D-43	054128303444	26090D037	2	3	460	20'	M	2"	2"	102
MW200D-53	054128303468	26090D038	2	3	575	20'	M	2"	2"	102



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
WHR SERIES - CAST IRON										
WHR5-11C	054128300702	21639D001	1/2	1	115	20'	M	2" (Opt 3")	2"	75
WHR5-11-50	-	27590A037	1/2	1	115	50'	M	2" (Opt 3")	2"	75
WHR5-21	054128831596	21639D002	1/2	1	115	50'	M	2" (Opt 3")	2"	75
WHR5-21C	054128300740	21639D004	1/2	1	230	10'	M	2" (Opt 3")	2"	75
WHR5P-1	054128300788	21639D902	1/2	1	115	20'	PT	2" (Opt 3")	2"	76
WHR5P-2	054128300801	21639D903	1/2	1	230	20'	PT	2" (Opt 3")	2"	76
WHR5-03	054128300825	21645D000	1/2	3	200	20'	M	2" (Opt 3")	2"	75
WHR5-03-50	-	27590A032	1/2	3	200	50'	M	2" (Opt 3")	2"	80
WHR5-23	054128300849	21645D001	1/2	3	230	20'	M	2" (Opt 3")	2"	75
WHR5-43	054128300863	21645D002	1/2	3	460	20'	M	2" (Opt 3")	2"	75
WHR5-53	054128300887	21645D003	1/2	3	575	20'	M	2" (Opt 3")	2"	75
WHR7-21C	054128300900	21640D002	3/4	1	230	20'	M	2" (Opt 3")	2"	79
WHR7P-2	054128300924	21640D900	3/4	1	230	20'	PT	2" (Opt 3")	2"	80
WHR7-03	054128300948	21646D000	3/4	3	200	20'	M	2" (Opt 3")	2"	79
WHR7-03-50	-	27590A044	3/4	3	200	50'	M	2" (Opt 3")	2"	80
WHR7-23	054128300962	21646D001	3/4	3	230	20'	M	2" (Opt 3")	2"	79
WHR7-43	054128300986	21646D002	3/4	3	460	20'	M	2" (Opt 3")	2"	79
WHR7-53	054128301006	21646D003	3/4	3	575	20'	M	2" (Opt 3")	2"	79
WHR10-21C	054128301020	21641D002	1	1	230	20'	M	2" (Opt 3")	2"	85
WHR10P-2	054128301044	21641D900	1	1	230	20'	PT	2" (Opt 3")	2"	86
WHR10-03	054128301068	21647D000	1	3	200	20'	M	2" (Opt 3")	2"	85
WHR10-03-50	-	27590A065	1	3	200	50'	M	2" (Opt 3")	2"	82
WHR10-23	054128301082	21647D001	1	3	230	20'	M	2" (Opt 3")	2"	85
WHR10-43	054128301105	21647D002	1	3	460	20'	M	2" (Opt 3")	2"	85
WHR10-53	054128301129	21647D003	1	3	575	20'	M	2" (Opt 3")	2"	85
WHR10-21C/LP	054128831909	21641D012	1	1	230	20'	M	2" (Opt 3")	2"	78

Must order FR-300 Flange for WHR to convert to 3"



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
WHRH SERIES - CAST IRON										
WHR5H-11	054128301167	27165E000	1/2	1	115	20'	M	2" (Opt 3")	2"	75
WHR5H-11-50	-	27590A014	1/2	1	115	50'	M	2" (Opt 3")	2"	95
WHR5H-01	054128301174	27165E001	1/2	1	200	20'	M	2" (Opt 3")	2"	75
WHR5H-01-50	-	27590A062	1/2	1	200	50'	M	2" (Opt 3")	2"	75
WHR5H-21	054128301181	27165E002	1/2	1	230	20'	M	2" (Opt 3")	2"	75
WHR5H-03	054128301198	27165E003	1/2	3	200	20'	M	2" (Opt 3")	2"	75
WHR5H-03-50	-	27590A053	1/2	3	200	50'	M	2" (Opt 3")	2"	98
WHR5H-23	054128301204	27165E004	1/2	3	230	20'	M	2" (Opt 3")	2"	75
WHR5H-43	054128301211	27165E005	1/2	3	460	20'	M	2" (Opt 3")	2"	75
WHR5H-53	054128301228	27165E006	1/2	3	575	20'	M	2" (Opt 3")	2"	75
WHR10H-01	054128301273	27165E011	1	1	200	20'	M	2" (Opt 3")	2"	79
WHR10H-01-50	-	27590A088	1	1	200	50'	M	2" (Opt 3")	2"	101
WHR10H-21	054128301280	27165E012	1	1	230	20'	M	2" (Opt 3")	2"	79
WHR10H-03	054128301297	27165E013	1	3	200	20'	M	2" (Opt 3")	2"	79
WHR10H-03-50	-	27590A016	1	3	200	50'	M	2" (Opt 3")	2"	96
WHR10H-23	054128301303	27165E014	1	3	230	20'	M	2" (Opt 3")	2"	79
WHR10H-43	054128301310	27165E015	1	3	460	20'	M	2" (Opt 3")	2"	79
WHR10H-43-30	-	27590A110	1	3	460	30'	M	2" (Opt 3")	2"	79
WHR10H-53	054128301327	27165E016	1	3	575	20'	M	2" (Opt 3")	2"	79
WHR10H-53-50	-	27590A058	1	3	575	50'	M	2" (Opt 3")	2"	101
WHR15H-01	054128301372	27165E021	1-1/2	1	200	20'	M	2" (Opt 3")	2"	85
WHR15H-01-50	-	27590A087	1-1/2	1	200	50'	M	2" (Opt 3")	2"	82
WHR15H-21	054128301389	27165E022	1-1/2	1	230	20'	M	2" (Opt 3")	2"	85
WHR15H-21-30	-	27590A225	1-1/2	1	230	30'	M	2" (Opt 3")	2"	85
WHR15H-03	054128301396	27165E023	1-1/2	3	200	20'	M	2" (Opt 3")	2"	85
WHR15H-03-50	-	27590A047	1-1/2	3	200	50'	M	2" (Opt 3")	2"	110
WHR15H-23	054128301402	27165E024	1-1/2	3	230	20'	M	2" (Opt 3")	2"	85
WHR15H-43	054128301419	27165E025	1-1/2	3	460	20'	M	2" (Opt 3")	2"	85
WHR15H-53	054128301426	27165E026	1-1/2	3	575	20'	M	2" (Opt 3")	2"	85
WHR15H-53-50	-	27590A012	1-1/2	3	575	50'	M	2" (Opt 3")	2"	98
WHR20H-21	054128301471	27165E032	2	1	230	20'	M	2" (Opt 3")	2"	95
WHR20H-21-50	-	27590A010	2	1	230	20'	M	2" (Opt 3")	2"	95
WHR20H-03	054128301488	27165E033	2	3	200	20'	M	2" (Opt 3")	2"	95
WHR20H-03-50	-	27590A025	2	3	200	50'	M	2" (Opt 3")	2"	105
WHR20H-23	054128301495	27165E034	2	3	230	20'	M	2" (Opt 3")	2"	95
WHR20H-43	054128301501	27165E035	2	3	460	20'	M	2" (Opt 3")	2"	95
WHR20H-53	054128301518	27165E036	2	3	575	20'	M	2" (Opt 3")	2"	95
WHR20H-53-50	-	27590A015	2	3	575	50'	M	2" (Opt 3")	2"	106

Must order FR-300A for WHRH to convert to 3"

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
WHR-DS SERIES - CAST IRON DS=DOUBLE SEAL, L/D = LESS DETECTOR										
WHR5-11-DS*	054128304823	21639D020	1/2	1	115	20'	M	2" (Opt 3")	2"	80
WHR5-01-DS*	054128304847	21639D021	1/2	1	200	20'	M	2" (Opt 3")	2"	80
WHR5-21-DS*	054128304861	21639D022	1/2	1	230	20'	M	2" (Opt 3")	2"	80
WHR5-11-DS-L/D	054128304885	21639D023	1/2	1	115	20'	M	2" (Opt 3")	2"	80
WHR5-01-DS-L/D	054128304908	21639D024	1/2	1	200	20'	M	2" (Opt 3")	2"	80
WHR5-21-DS-L/D	054128304922	21639D025	1/2	1	230	20'	M	2" (Opt 3")	2"	80
WHR5-03-DS-L/D	054128304946	21645D020	1/2	3	200	20'	M	2" (Opt 3")	2"	80
WHR5-23-DS-L/D	054128304960	21645D021	1/2	3	230	20'	M	2" (Opt 3")	2"	80
WHR5-43-DS-L/D	054128304984	21645D022	1/2	3	460	20'	M	2" (Opt 3")	2"	80
WHR7-21-DS*	054128305028	21640D020	3/4	1	230	20'	M	2" (Opt 3")	2"	85
WHR7-21-DS-L/D	054128305042	21640D021	3/4	1	230	20'	M	2" (Opt 3")	2"	85
WHR7-03-DS-L/D	054128305066	21646D020	3/4	3	200	20'	M	2" (Opt 3")	2"	85
WHR7-23-DS-L/D	054128305080	21646D021	3/4	3	230	20'	M	2" (Opt 3")	2"	85
WHR7-43-DS-L/D	054128305103	21646D022	3/4	3	460	20'	M	2" (Opt 3")	2"	85
WHR7-53-DS-L/D	054128305127	21646D023	3/4	3	575	20'	M	2" (Opt 3")	2"	85
WHR10-01-DS	054128831916	21641D022	1	1	200	20'	M	2" (Opt 3")	2"	91
WHR10-21-DS*	054128305141	21641D020	1	1	230	20'	M	2" (Opt 3")	2"	90
WHR10-21-DS-L/D	054128305165	21641D021	1	1	230	20'	M	2" (Opt 3")	2"	90
WHR10-03-DS-L/D	054128305189	21647D020	1	3	200	20'	M	2" (Opt 3")	2"	90
WHR10-43-DS-L/D	054128305226	21647D022	1	3	460	20'	M	2" (Opt 3")	2"	90
WHR10-53-DS-L/D	054128305240	21647D023	1	3	575	20'	M	2" (Opt 3")	2"	90
<i>*=Includes seal leak sensor</i>										
<i>Must order FR-300 for WHRH to convert to 3"</i>										
DSW SERIES - STAINLESS STEEL										
DSW40P1	022315317352	-	4/10	1	115	20'	PT	2"	2"	21
DSW50P1	022315317369	-	1/2	1	115	20'	PT	2"	2"	25
DSW50M2	022315317376	-	1/2	1	230	20'	M	2"	2"	25
DSW100M2	022315317383	-	1	1	230	20'	M	2"	2"	26
<i>Includes 90 degree elbow</i>										

PRE-PLUMBED SEWAGE SYSTEMS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
PRE-PLUMBED SEWAGE SYSTEMS				
SR1830-23-2	054128300504	25195D100	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe, check valve and SRM4 sewage pump.	56
SR1830I-23-2*	054128300528	25195D800	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe, check valve and SRM4 sewage pump.	56
SR1830C-23-2	054128300542	25195D101	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe, check valve and SRM4 sewage pump.	56
SR1830SA2X2	054128300566	25195D012	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe, check valve and SRM4 sewage pump.	56
SR1830SC2X2	054128300580	25195D011	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe, check valve and SRM4 sewage pump.	56
SR1830-23-2NCV	-	25195D100	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe and SRM4 sewage pump.	59
CMV1830	054128300603	25195D060	Package includes: 18"x30" structural foam basin & lid, PVC discharge pipe, check valve and CMV5 sewage pump.	50
CMV1830C	054128300689	25195D061	Package includes: 18"x30" structural foam basin, split design steel lid, PVC discharge pipe, check valve and CMV5 sewage pump	60
M224A	022315381513	-	Package includes: 24"x32" structural foam basin, steel lid, PVC discharge pipe and MSKV50AW110 sewage pump	80
SB24SRM	-	-	Package includes: 24"x24" polyethylene basin & lid, PVC discharge pipe, float tree, float switch and SRM4M1C sewage pump	46
SB24MW50	-	-	Package includes: 24"x24" polyethylene basin & lid, PVC discharge pipe, float tree, float switch and MW50-11 sewage pump	56
SB24VRS10	-	-	Package includes: 24"x24" polyethylene basin & lid, PVC discharge pipe, float tree, float switch and VRS10M-11 Grinder pump	90
SB24	-	-	Replacement 24"x24" polyethylene basin	16
SB24NP	-	-	Assembled package includes: 24"x24" polyethylene basin & lid, float tree and cord clamps	25
27627B020	-	-	Replacement lid for 24" diameter basin assembly.	6
<i>* IAPMO listed</i>				
<i>Must order 27011A137 3" basin flange for applicable models</i>				

GRINDERS AND TURNKEY GRINDER PACKAGES

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
VRS SERIES - CAST IRON										
VRS10A-11	-	28172D000	1	1	115	20'	PT	2"	-	70
VRS10M-11	-	28172D001	1	1	115	20'	M	2"	-	70
VRS10A-21	-	28172D002	1	1	230	20'	PT	2"	-	70
VRS10M-21	-	28172D003	1	1	230	20'	M	2"	-	70
VRS20A-21	-	28200D000	2	1	230	20'	PT	1-1/4"	-	95
VRS20M-21	-	28200D010	2	1	230	20'	M	1-1/4"	-	95
VRH20A-21	-	28200D100	2	1	230	20'	PT	1-1/4"	-	95
VRH20M-21	-	28200D110	2	1	230	20'	M	1-1/4"	-	95
VRF20A-21	-	28200D200	2	1	230	20'	PT	1-1/4"	-	95
VRF20M-21	-	28200D210	2	1	230	20'	M	1-1/4"	-	95
TURNKEY GRINDER PACKAGES										
VRS20-R5S	-	25283D504	Includes 24"x60" fiberglass basin, grinder, float control, RA-11W alarm panel, NEMA 3R enclosure.							300
VRS20-R6S	-	25283D505	Includes 24"x72" fiberglass basin, grinder, float control, RA-11W alarm panel, NEMA 3R enclosure.							320
VRS20-R7S	-	25283D506	Includes 24"x84" fiberglass basin, grinder, float control, RA-11W alarm panel, NEMA 3R enclosure.							340
VRS20-R8S	-	25283D507	Includes 24"x96" fiberglass basin, grinder, float control, RA-11W alarm panel, NEMA 3R enclosure.							360
E-ONE RETROFIT PACKAGES - GRINDER, DISCHARGE PIPING, FLOATS, JBOX W/EQD PLUG, SST SUSPENSION HANGER & ROPE										
VRS20-21TRE	-	28164P146	VRS20A-21 - Square plug							145
VRS20-21TRES	-	28164P147	VRS20A-21 - Round (Extreme Series)							145
VRH20-21TRE	-	28164P201	VRH20A-21 - Square							145
VRH20-21TRES	-	28164P202	VRH20A-21 - Round (Extreme Series)							145

SEWAGE EJECTORS

SEWAGE EJECTORS											
MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS	
3MW SERIES - SINGLE SEAL - CAST IRON - 1750 RPM											
3MW15M4-01	-	26471E000	1-1/2	1	200	20'	M	3"	2-1/2"	113	
3MW15M4-21	-	26471E001	1-1/2	1	230	20'	M	3"	2-1/2"	113	
3MW15M4-03	-	26471E002	1-1/2	3	200	20'	M	3"	2-1/2"	113	
3MW15M4-23	-	26471E003	1-1/2	3	230	20'	M	3"	2-1/2"	113	
3MW15M4-43	-	26471E004	1-1/2	3	460	20'	M	3"	2-1/2"	113	
3MW15M4-53	-	26471E005	1-1/2	3	575	20'	M	3"	2-1/2"	113	
3MW20M4-01	-	26471E010	2	1	200	20'	M	3"	2-1/2"	113	
3MW20M4-21	-	26471E011	2	1	230	20'	M	3"	2-1/2"	113	
3MW20M4-03	-	26471E012	2	3	200	20'	M	3"	2-1/2"	113	
3MW20M4-23	-	26471E013	2	3	230	20'	M	3"	2-1/2"	113	
3MW20M4-43	-	26471E014	2	3	460	20'	M	3"	2-1/2"	113	
3MW20M4-53	-	26471E015	2	3	575	20'	M	3"	2-1/2"	113	
3MW30M4-21	-	26471E021	3	1	230	20'	M	3"	2-1/2"	113	
3MW30M4-03	-	26471E022	3	3	200	20'	M	3"	2-1/2"	113	
3MW30M4-23	-	26471E023	3	3	230	20'	M	3"	2-1/2"	113	
3MW30M4-43	-	26471E024	3	3	460	20'	M	3"	2-1/2"	113	
3MW30M4-53	-	26471E025	3	3	575	20'	M	3"	2-1/2"	113	
3MW SERIES - SINGLE SEAL - CAST IRON - 3450 RPM											
3MW10M2-01	-	26473E000	1	1	200	20'	M	3"	2"	100	
3MW10M2-21	-	26473E001	1	1	230	20'	M	3"	2"	100	
3MW10M2-03	-	26473E002	1	3	200	20'	M	3"	2"	100	
3MW10M2-23	-	26473E003	1	3	230	20'	M	3"	2"	100	
3MW10M2-43	-	26473E004	1	3	460	20'	M	3"	2"	100	
3MW10M2-53	-	26473E005	1	3	575	20'	M	3"	2"	100	
3MW15M2-01	-	26473E010	1-1/2	1	200	20'	M	3"	2"	100	
3MW15M2-21	-	26473E011	1-1/2	1	230	20'	M	3"	2"	100	
3MW15M2-03	-	26473E012	1-1/2	3	200	20'	M	3"	2"	100	
3MW15M2-23	-	26473E013	1-1/2	3	230	20'	M	3"	2"	100	
3MW15M2-43	-	26473E014	1-1/2	3	460	20'	M	3"	2"	100	
3MW15M2-53	-	26473E015	1-1/2	3	575	20'	M	3"	2"	100	
3MW20M2-01	-	26473E020	2	1	200	20'	M	3"	2"	100	
3MW20M2-21	-	26473E021	2	1	230	20'	M	3"	2"	100	
3MW20M2-03	-	26473E022	2	3	200	20'	M	3"	2"	100	
3MW20M2-23	-	26473E023	2	3	230	20'	M	3"	2"	100	
3MW20M2-43	-	26473E024	2	3	460	20'	M	3"	2"	100	
3MW20M2-53	-	26473E025	2	3	575	20'	M	3"	2"	100	
3MW30M2-21	-	26473E030	3	1	230	20'	M	3"	2"	100	
3MW30M2-03	-	26473E031	3	3	200	20'	M	3"	2"	100	
3MW30M2-23	-	26473E032	3	3	230	20'	M	3"	2"	100	
3MW30M2-43	-	26473E033	3	3	460	20'	M	3"	2"	100	
3MW30M2-53	-	26473E034	3	3	575	20'	M	3"	2"	100	



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
3MW SERIES - DUAL SEAL - CAST IRON - 1750 RPM										
3MW15DM4-01	-	26472E000	1-1/2	1	200	20'	M	3"	2-1/2"	125
3MW15DM4-21	-	26472E001	1-1/2	1	230	20'	M	3"	2-1/2"	125
3MW15DM4-03	-	26472E002	1-1/2	3	200	20'	M	3"	2-1/2"	125
3MW15DM4-23	-	26472E003	1-1/2	3	230	20'	M	3"	2-1/2"	125
3MW15DM4-43	-	26472E004	1-1/2	3	460	20'	M	3"	2-1/2"	125
3MW15DM4-53	-	26472E005	1-1/2	3	575	20'	M	3"	2-1/2"	125
3MW20DM4-01	-	26472E010	2	1	200	20'	M	3"	2-1/2"	125
3MW20DM4-21	-	26472E011	2	1	230	20'	M	3"	2-1/2"	125
3MW20DM4-03	-	26472E012	2	3	200	20'	M	3"	2-1/2"	125
3MW20DM4-23	-	26472E013	2	3	230	20'	M	3"	2-1/2"	125
3MW20DM4-43	-	26472E014	2	3	460	20'	M	3"	2-1/2"	125
3MW20DM4-53	-	26472E015	2	3	575	20'	M	3"	2-1/2"	125
3MW30DM4-21	-	26472E021	3	1	230	20'	M	3"	2-1/2"	125
3MW30DM4-03	-	26472E022	3	3	200	20'	M	3"	2-1/2"	125
3MW30DM4-23	-	26472E023	3	3	230	20'	M	3"	2-1/2"	125
3MW30DM4-43	-	26472E024	3	3	460	20'	M	3"	2-1/2"	125
3MW30DM4-53	-	26472E025	3	3	575	20'	M	3"	2-1/2"	125
3MW SERIES - DUAL SEAL - CAST IRON - 3450 RPM										
3MW10DM2-01	-	26474E000	1	1	200	20'	M	3"	2"	113
3MW10DM2-21	-	26474E001	1	1	230	20'	M	3"	2"	113
3MW10DM2-03	-	26474E002	1	3	200	20'	M	3"	2"	113
3MW10DM2-23	-	26474E003	1	3	230	20'	M	3"	2"	113
3MW10DM2-43	-	26474E004	1	3	460	20'	M	3"	2"	113
3MW10DM2-53	-	26474E005	1	3	575	20'	M	3"	2"	113
3MW15DM2-01	-	26474E010	1-1/2	1	200	20'	M	3"	2"	113
3MW15DM2-21	-	26474E011	1-1/2	1	230	20'	M	3"	2"	113
3MW15DM2-03	-	26474E012	1-1/2	3	200	20'	M	3"	2"	113
3MW15DM2-23	-	26474E013	1-1/2	3	230	20'	M	3"	2"	113
3MW15DM2-43	-	26474E014	1-1/2	3	460	20'	M	3"	2"	113
3MW15DM2-53	-	26474E015	1-1/2	3	575	20'	M	3"	2"	113
3MW20DM2-01	-	26474E020	2	1	200	20'	M	3"	2"	113
3MW20DM2-21	-	26474E021	2	1	230	20'	M	3"	2"	113
3MW20DM2-03	-	26474E022	2	3	200	20'	M	3"	2"	113
3MW20DM2-23	-	26474E023	2	3	230	20'	M	3"	2"	113
3MW20DM2-43	-	26474E024	2	3	460	20'	M	3"	2"	113
3MW20DM2-53	-	26474E025	2	3	575	20'	M	3"	2"	113
3MW30DM2-21	-	26474E030	3	1	230	20'	M	3"	2"	113
3MW30DM2-03	-	26474E031	3	3	200	20'	M	3"	2"	113
3MW30DM2-23	-	26474E032	3	3	230	20'	M	3"	2"	113
3MW30DM2-43	-	26474E033	3	3	460	20'	M	3"	2"	113
3MW30DM2-53	-	26474E034	3	3	575	20'	M	3"	2"	113

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MS3S/MSB3S SERIES - SINGLE SEAL - CAST IRON - 1750 RPM										
MS3S200M2-4	-	28221E001	2	1	230	35'	M	3"	2-1/2"	160
MS3S200M6-4	-	28221E002	2	3	200	35'	M	3"	2-1/2"	157
MS3S200M3-4	-	28221E003	2	3	230	35'	M	3"	2-1/2"	157
MS3S200M4-4	-	28221E004	2	3	460	35'	M	3"	2-1/2"	157
MS3S200M5-4	-	28221E005	2	3	575	35'	M	3"	2-1/2"	157
MS3S300M2-4	-	28221E011	3	1	230	35'	M	3"	2-1/2"	176
MS3S300M6-4	-	28221E012	3	3	200	35'	M	3"	2-1/2"	167
MS3S300M3-4	-	28221E013	3	3	230	35'	M	3"	2-1/2"	167
MS3S300M4-4	-	28221E014	3	3	460	35'	M	3"	2-1/2"	167
MS3S300M5-4	-	28221E015	3	3	575	35'	M	3"	2-1/2"	167
MSB3S200M2-4	-	28222E001	2	1	230	35'	M	3"	2-1/2"	160
MSB3S200M6-4	-	28222E002	2	3	200	35'	M	3"	2-1/2"	157
MSB3S200M3-4	-	28222E003	2	3	230	35'	M	3"	2-1/2"	157
MSB3S200M4-4	-	28222E004	2	3	460	35'	M	3"	2-1/2"	157
MSB3S200M5-4	-	28222E005	2	3	575	35'	M	3"	2-1/2"	157
MSB3S300M2-4	-	28222E011	3	1	230	35'	M	3"	2-1/2"	176
MSB3S300M6-4	-	28222E012	3	3	200	35'	M	3"	2-1/2"	167
MSB3S300M3-4	-	28222E013	3	3	230	35'	M	3"	2-1/2"	167
MSB3S300M4-4	-	28222E014	3	3	460	35'	M	3"	2-1/2"	167
MSB3S300M5-4	-	28222E015	3	3	575	35'	M	3"	2-1/2"	167

Models containing "B" = Vertical Discharge

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MS3SD/MSB3SD SERIES - DOUBLE SEAL - CAST IRON										
MS3SD100M7-6	-	28223E000	1	1	200	35'	M	3"	2-1/2"	180
MS3SD100M2-6	-	28223E001	1	1	230	35'	M	3"	2-1/2"	180
MS3SD100M6-6	-	28223E002	1	3	200	35'	M	3"	2-1/2"	180
MS3SD100M3-6	-	28223E003	1	3	230	35'	M	3"	2-1/2"	180
MS3SD100M4-6	-	28223E004	1	3	460	35'	M	3"	2-1/2"	180
MS3SD100M5-6	-	28223E005	1	3	575	35'	M	3"	2-1/2"	180
MS3SD200M2-4	-	28221E101	2	1	230	35'	M	3"	2-1/2"	180
MS3SD200M6-4	-	28221E102	2	3	200	35'	M	3"	2-1/2"	180
MS3SD200M3-4	-	28221E103	2	3	230	35'	M	3"	2-1/2"	180
MS3SD200M4-4	-	28221E104	2	3	460	35'	M	3"	2-1/2"	180
MS3SD200M5-4	-	28221E105	2	3	575	35'	M	3"	2-1/2"	180
MS3SD300M2-4	-	28221E111	3	1	230	35'	M	3"	2-1/2"	180
MS3SD300M6-4	-	28221E112	3	3	200	35'	M	3"	2-1/2"	180
MS3SD300M3-4	-	28221E113	3	3	230	35'	M	3"	2-1/2"	180
MS3SD300M4-4	-	28221E114	3	3	460	35'	M	3"	2-1/2"	180
MS3SD300M5-4	-	28221E115	3	3	575	35'	M	3"	2-1/2"	180
MSB3SD100M7-6	-	28223E100	1	1	200	35'	M	3"	2-1/2"	180
MSB3SD100M2-6	-	28223E101	1	1	230	35'	M	3"	2-1/2"	180
MSB3SD100M6-6	-	28223E102	1	3	200	35'	M	3"	2-1/2"	180
MSB3SD100M3-6	-	28223E103	1	3	230	35'	M	3"	2-1/2"	180
MSB3SD100M4-6	-	28223E104	1	3	460	35'	M	3"	2-1/2"	180
MSB3SD200M2-4	-	28222E101	2	1	230	35'	M	3"	2-1/2"	180
MSB3SD200M6-4	-	28222E102	2	3	200	35'	M	3"	2-1/2"	180
MSB3SD200M3-4	-	28222E103	2	3	230	35'	M	3"	2-1/2"	180
MSB3SD200M4-4	-	28222E104	2	3	460	35'	M	3"	2-1/2"	180
MSB3SD200M5-4	-	28222E105	2	3	575	35'	M	3"	2-1/2"	180
MSB3SD300M2-4	-	28222E111	3	1	230	35'	M	3"	2-1/2"	180
MSB3SD300M6-4	-	28222E112	3	3	200	35'	M	3"	2-1/2"	180
MSB3SD300M3-4	-	28222E113	3	3	230	35'	M	3"	2-1/2"	180
MSB3SD300M4-4	-	28222E114	3	3	460	35'	M	3"	2-1/2"	180
MSB3SD300M5-4	-	28222E115	3	3	575	35'	M	3"	2-1/2"	180

Models containing "B" = Vertical Discharge

Models ending in "-6" = 1150 RPM, Models ending in "-4" = 1750 RPM



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MS4S/MSB4S SERIES - SINGLE SEAL - CAST IRON - 1750 RPM										
MS4S300M2-4	-	28224E001	3	1	230	35'	M	4"	3-1/2"	188
MS4S300M6-4	-	28224E002	3	3	200	35'	M	4"	3-1/2"	179
MS4S300M3-4	-	28224E003	3	3	230	35'	M	4"	3-1/2"	179
MS4S300M4-4	-	28224E004	3	3	460	35'	M	4"	3-1/2"	179
MS4S300M5-4	-	28224E005	3	3	575	35'	M	4"	3-1/2"	179
MS4S500M2-4	-	28224E011	5	1	230	35'	M	4"	3-1/2"	191
MS4S500M6-4	-	28224E012	5	3	200	35'	M	4"	3-1/2"	183
MS4S500M3-4	-	28224E013	5	3	230	35'	M	4"	3-1/2"	179
MS4S500M4-4	-	28224E014	5	3	460	35'	M	4"	3-1/2"	179
MS4S500M5-4	-	28224E015	5	3	575	35'	M	4"	3-1/2"	179
MS4S750M6-4	-	28224E022	7-1/2	3	200	35'	M	4"	3-1/2"	183
MS4S750M3-4	-	28224E023	7-1/2	3	230	35'	M	4"	3-1/2"	183
MS4S750M4-4	-	28224E024	7-1/2	3	460	35'	M	4"	3-1/2"	183
MS4S750M5-4	-	28224E025	7-1/2	3	575	35'	M	4"	3-1/2"	179
MSB4S300M2-4	-	28225E001	3	1	230	35'	M	4"	3-1/2"	188
MSB4S300M6-4	-	28225E002	3	3	200	35'	M	4"	3-1/2"	179
MSB4S300M3-4	-	28225E003	3	3	230	35'	M	4"	3-1/2"	179
MSB4S300M4-4	-	28225E004	3	3	460	35'	M	4"	3-1/2"	179
MSB4S300M5-4	-	28225E005	3	3	575	35'	M	4"	3-1/2"	179
MSB4S500M2-4	-	28225E011	5	1	230	35'	M	4"	3-1/2"	191
MSB4S500M6-4	-	28225E012	5	3	200	35'	M	4"	3-1/2"	183
MSB4S500M3-4	-	28225E013	5	3	230	35'	M	4"	3-1/2"	179
MSB4S500M4-4	-	28225E014	5	3	460	35'	M	4"	3-1/2"	179
MSB4S500M5-4	-	28225E015	5	3	575	35'	M	4"	3-1/2"	179
MSB4S750M6-4	-	28225E022	7-1/2	3	200	35'	M	4"	3-1/2"	183
MSB4S750M3-4	-	28225E023	7-1/2	3	230	35'	M	4"	3-1/2"	183
MSB4S750M4-4	-	28225E024	7-1/2	3	460	35'	M	4"	3-1/2"	183
MSB4S750M5-4	-	28225E025	7-1/2	3	575	35'	M	4"	3-1/2"	179

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
MS4SD/MSB4SD SERIES - DOUBLE SEAL - CAST IRON - 1150 / 1750 RPM										
MS4SD200M2-6	-	28226E001	2	1	230	35'	M	4"	3-1/2"	185
MS4SD200M6-6	-	28226E002	2	3	200	35'	M	4"	3-1/2"	185
MS4SD200M3-6	-	28226E003	2	3	230	35'	M	4"	3-1/2"	185
MS4SD200M4-6	-	28226E004	2	3	460	35'	M	4"	3-1/2"	185
MS4SD200M5-6	-	28226E005	2	3	575	35'	M	4"	3-1/2"	185
MS4SD300M2-4	-	28224E101	3	1	230	35'	M	4"	3-1/2"	185
MS4SD300M6-4	-	28224E102	3	3	200	35'	M	4"	3-1/2"	185
MS4SD300M3-4	-	28224E103	3	3	230	35'	M	4"	3-1/2"	185
MS4SD300M4-4	-	28224E104	3	3	460	35'	M	4"	3-1/2"	185
MS4SD300M5-4	-	28224E105	3	3	575	35'	M	4"	3-1/2"	185
MS4SD500M2-4	-	28224E111	5	1	230	35'	M	4"	3-1/2"	185
MS4SD500M6-4	-	28224E112	5	3	200	35'	M	4"	3-1/2"	185
MS4SD500M3-4	-	28224E113	5	3	230	35'	M	4"	3-1/2"	185
MS4SD500M4-4	-	28224E114	5	3	460	35'	M	4"	3-1/2"	185
MS4SD500M5-4	-	28224E115	5	3	575	35'	M	4"	3-1/2"	185
MS4SD750M6-4	-	28224E122	7-1/2	3	200	35'	M	4"	3-1/2"	185
MS4SD750M3-4	-	28224E123	7-1/2	3	230	35'	M	4"	3-1/2"	185
MS4SD750M4-4	-	28224E124	7-1/2	3	460	35'	M	4"	3-1/2"	185
MS4SD750M5-4	-	28224E125	7-1/2	3	575	35'	M	4"	3-1/2"	185
MSB4SD200M7-6	-	28226E100	2	1	200	35'	M	4"	3-1/2"	185
MSB4SD200M2-6	-	28226E101	2	1	230	35'	M	4"	3-1/2"	185
MSB4SD200M6-6	-	28226E102	2	3	200	35'	M	4"	3-1/2"	185
MSB4SD200M3-6	-	28226E103	2	3	230	35'	M	4"	3-1/2"	185
MSB4SD200M4-6	-	28226E104	2	3	460	35'	M	4"	3-1/2"	185
MSB4SD200M5-6	-	28226E105	2	3	575	35'	M	4"	3-1/2"	185
MSB4SD300M2-4	-	28225E101	3	1	230	35'	M	4"	3-1/2"	185
MSB4SD300M6-4	-	28225E102	3	3	200	35'	M	4"	3-1/2"	185
MSB4SD300M3-4	-	28225E103	3	3	230	35'	M	4"	3-1/2"	185
MSB4SD300M4-4	-	28225E104	3	3	460	35'	M	4"	3-1/2"	185
MSB4SD300M5-4	-	28225E105	3	3	575	35'	M	4"	3-1/2"	185
MSB4SD500M2-4	-	28225E111	5	1	230	35'	M	4"	3-1/2"	185
MSB4SD500M6-4	-	28225E112	5	3	200	35'	M	4"	3-1/2"	185
MSB4SD500M3-4	-	28225E113	5	3	230	35'	M	4"	3-1/2"	185
MSB4SD500M4-4	-	28225E114	5	3	460	35'	M	4"	3-1/2"	185
MSB4SD500M5-4	-	28225E115	5	3	575	35'	M	4"	3-1/2"	185
MSB4SD750M6-4	-	28225E122	7-1/2	3	200	35'	M	4"	3-1/2"	185
MSB4SD750M3-4	-	28225E123	7-1/2	3	230	35'	M	4"	3-1/2"	185
MSB4SD750M4-4	-	28225E124	7-1/2	3	460	35'	M	4"	3-1/2"	185
MSB4SD750M5-4	-	28225E125	7-1/2	3	575	35'	M	4"	3-1/2"	185
<i>Models containing "B" = Vertical Discharge</i>										
<i>Models ending in "-6" = 1150 RPM, Models ending in "-4" = 1750 RPM</i>										

SOLIDS HANDLING PUMPS

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
3WHV SERIES - CAST IRON - 1750 RPM - HORIZONTAL DISCHARGE										
3WHV10M4-21	-	24415E030	1	1	230	35'	M	3"	2-1/2"	170
3WHV10M4-03	-	24415E031	1	3	200	35'	M	3"	2-1/2"	170
3WHV10M4-23	-	24415E032	1	3	230	35'	M	3"	2-1/2"	170
3WHV10M4-43	-	24415E033	1	3	460	35'	M	3"	2-1/2"	170
3WHV10M4-53	-	24415E034	1	3	575	35'	M	3"	2-1/2"	170
3WHV15M4-21	-	24415E000	1-1/2	1	230	35'	M	3"	2-1/2"	170
3WHV15M4-03	-	24415E001	1-1/2	3	200	35'	M	3"	2-1/2"	170
3WHV15M4-23	-	24415E002	1-1/2	3	230	35'	M	3"	2-1/2"	170
3WHV15M4-43	-	24415E003	1-1/2	3	460	35'	M	3"	2-1/2"	170
3WHV15M4-53	-	24415E004	1-1/2	3	575	35'	M	3"	2-1/2"	170
3WHV20M4-21	-	24415E010	2	1	230	35'	M	3"	2-1/2"	170
3WHV20M4-03	-	24415E011	2	3	200	35'	M	3"	2-1/2"	170
3WHV20M4-23	-	24415E012	2	3	230	35'	M	3"	2-1/2"	170
3WHV20M4-43	-	24415E013	2	3	460	35'	M	3"	2-1/2"	170
3WHV20M4-53	-	24415E014	2	3	575	35'	M	3"	2-1/2"	170
3WHV30M4-21	-	24415E020	3	1	230	35'	M	3"	2-1/2"	170
3WHV30M4-03	-	24415E021	3	3	200	35'	M	3"	2-1/2"	170
3WHV30M4-23	-	24415E022	3	3	230	35'	M	3"	2-1/2"	170
3WHV30M4-43	-	24415E023	3	3	460	35'	M	3"	2-1/2"	170
3WHV30M4-53	-	24415E024	3	3	575	35'	M	3"	2-1/2"	170
3WHV50M4-21	-	24415E040	5	1	230	35'	M	3"	2-1/2"	170
3WHV50M4-03	-	24415E041	5	3	200	35'	M	3"	2-1/2"	170
3WHV50M4-23	-	24415E042	5	3	230	35'	M	3"	2-1/2"	170
3WHV50M4-43	-	24415E043	5	3	460	35'	M	3"	2-1/2"	170
3WHV50M4-53	-	24415E044	5	3	575	35'	M	3"	2-1/2"	170

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
V3WHV SERIES - CAST IRON - 1750 RPM - VERTICAL DISCHARGE										
V3WHV10M4-21	-	24415E050	1	1	230	35'	M	3"	2-1/2"	180
V3WHV10M4-03	-	24415E051	1	3	200	35'	M	3"	2-1/2"	180
V3WHV10M4-23	-	24415E052	1	3	230	35'	M	3"	2-1/2"	180
V3WHV10M4-43	-	24415E053	1	3	460	35'	M	3"	2-1/2"	180
V3WHV10M4-53	-	24415E054	1	3	575	35'	M	3"	2-1/2"	180
V3WHV15M4-21	-	24415E055	1-1/2	1	230	35'	M	3"	2-1/2"	180
V3WHV15M4-03	-	24415E056	1-1/2	3	200	35'	M	3"	2-1/2"	180
V3WHV15M4-23	-	24415E057	1-1/2	3	230	35'	M	3"	2-1/2"	180
V3WHV15M4-43	-	24415E058	1-1/2	3	460	35'	M	3"	2-1/2"	180
V3WHV15M4-53	-	24415E059	1-1/2	3	575	35'	M	3"	2-1/2"	180
V3WHV20M4-21	-	24415E060	2	1	230	35'	M	3"	2-1/2"	180
V3WHV20M4-03	-	24415E061	2	3	200	35'	M	3"	2-1/2"	180
V3WHV20M4-23	-	24415E062	2	3	230	35'	M	3"	2-1/2"	180
V3WHV20M4-43	-	24415E063	2	3	460	35'	M	3"	2-1/2"	180
V3WHV20M4-53	-	24415E064	2	3	575	35'	M	3"	2-1/2"	180
V3WHV30M4-21	-	24415E065	3	1	230	35'	M	3"	2-1/2"	180
V3WHV30M4-03	-	24415E066	3	3	200	35'	M	3"	2-1/2"	180
V3WHV30M4-23	-	24415E067	3	3	230	35'	M	3"	2-1/2"	180
V3WHV30M4-43	-	24415E068	3	3	460	35'	M	3"	2-1/2"	180
V3WHV30M4-53	-	24415E069	3	3	575	35'	M	3"	2-1/2"	180
V3WHV50M4-21	-	24415E070	5	1	230	35'	M	3"	2-1/2"	180
V3WHV50M4-03	-	24415E071	5	3	200	35'	M	3"	2-1/2"	180
V3WHV50M4-23	-	24415E072	5	3	230	35'	M	3"	2-1/2"	180
V3WHV50M4-43	-	24415E073	5	3	460	35'	M	3"	2-1/2"	180
V3WHV50M4-53	-	24415E074	5	3	575	35'	M	3"	2-1/2"	180

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
3RMW SERIES - SINGLE SEAL - CAST IRON										
3RMW15M4-01	-	27768E000	1-1/2	1	200	20'	M	3"	2-1/2"	113
3RMW15M4-21	-	27768E001	1-1/2	1	230	20'	M	3"	2-1/2"	113
3RMW15M4-03	-	27768E002	1-1/2	3	200	20'	M	3"	2-1/2"	113
3RMW15M4-23	-	27768E003	1-1/2	3	230	20'	M	3"	2-1/2"	113
3RMW15M4-43	-	27768E004	1-1/2	3	460	20'	M	3"	2-1/2"	113
3RMW15M4-53	-	27768E005	1-1/2	3	575	20'	M	3"	2-1/2"	113
3RMW20M4-01	-	27768E010	2	1	200	20'	M	3"	2-1/2"	113
3RMW20M4-21	-	27768E011	2	1	230	20'	M	3"	2-1/2"	113
3RMW20M4-03	-	27768E012	2	3	200	20'	M	3"	2-1/2"	113
3RMW20M4-23	-	27768E013	2	3	230	20'	M	3"	2-1/2"	113
3RMW20M4-43	-	27768E014	2	3	460	20'	M	3"	2-1/2"	113
3RMW20M4-53	-	27768E015	2	3	575	20'	M	3"	2-1/2"	113
3RMW30M4-21	-	27768E021	3	1	230	20'	M	3"	2-1/2"	113
3RMW30M4-03	-	27768E022	3	3	200	20'	M	3"	2-1/2"	113
3RMW30M4-23	-	27768E023	3	3	230	20'	M	3"	2-1/2"	113
3RMW30M4-43	-	27768E024	3	3	460	20'	M	3"	2-1/2"	113
3RMW30M4-53	-	27768E025	3	3	575	20'	M	3"	2-1/2"	113
3RMW15M2-01	-	27766E010	1-1/2	1	200	20'	M	3"	2"	113
3RMW15M2-21	-	27766E011	1-1/2	1	230	20'	M	3"	2"	113
3RMW15M2-03	-	27766E012	1-1/2	3	200	20'	M	3"	2"	113
3RMW15M2-23	-	27766E013	1-1/2	3	230	20'	M	3"	2"	113
3RMW15M2-43	-	27766E014	1-1/2	3	460	20'	M	3"	2"	113
3RMW15M2-53	-	27766E015	1-1/2	3	575	20'	M	3"	2"	113
3RMW20M2-01	-	27766E020	2	1	200	20'	M	3"	2"	113
3RMW20M2-03	-	27766E022	2	3	200	20'	M	3"	2"	113
3RMW20M2-21	-	27766E021	2	1	230	20'	M	3"	2"	113
3RMW20M2-23	-	27766E023	2	3	230	20'	M	3"	2"	113
3RMW20M2-43	-	27766E024	2	3	460	20'	M	3"	2"	113
3RMW20M2-53	-	27766E025	2	3	575	20'	M	3"	2"	113
3RMW30M2-21	-	27766E030	3	1	230	20'	M	3"	2"	113
3RMW30M2-03	-	27766E031	3	3	200	20'	M	3"	2"	113
3RMW30M2-23	-	27766E032	3	3	230	20'	M	3"	2"	113
3RMW30M2-43	-	27766E033	3	3	460	20'	M	3"	2"	113
3RMW30M2-53	-	27766E034	3	3	575	20'	M	3"	2"	113
<i>Models ending in "4-xx"=1750, Models ending in "2-xx"=3450 RPM</i>										



MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS
3RMW SERIES - DUAL SEAL - CAST IRON										
3RMW15DM4-01	-	27769E000	1-1/2	1	200	20'	M	3"	2-1/2"	125
3RMW15DM4-21	-	27769E001	1-1/2	1	230	20'	M	3"	2-1/2"	125
3RMW15DM4-03	-	27769E002	1-1/2	3	200	20'	M	3"	2-1/2"	125
3RMW15DM4-23	-	27769E003	1-1/2	3	230	20'	M	3"	2-1/2"	125
3RMW15DM4-43	-	27769E004	1-1/2	3	460	20'	M	3"	2-1/2"	125
3RMW15DM4-53	-	27769E005	1-1/2	3	575	20'	M	3"	2-1/2"	125
3RMW20DM4-01	-	27769E010	2	1	200	20'	M	3"	2-1/2"	125
3RMW20DM4-21	-	27769E011	2	1	230	20'	M	3"	2-1/2"	125
3RMW20DM4-03	-	27769E012	2	3	200	20'	M	3"	2-1/2"	125
3RMW20DM4-23	-	27769E013	2	3	230	20'	M	3"	2-1/2"	125
3RMW20DM4-43	-	27769E014	2	3	460	20'	M	3"	2-1/2"	125
3RMW20DM4-53	-	27769E015	2	3	575	20'	M	3"	2-1/2"	125
3RMW30DM4-21	-	27769E021	3	1	230	20'	M	3"	2-1/2"	125
3RMW30DM4-03	-	27769E022	3	3	200	20'	M	3"	2-1/2"	125
3RMW30DM4-23	-	27769E023	3	3	230	20'	M	3"	2-1/2"	125
3RMW30DM4-43	-	27769E024	3	3	460	20'	M	3"	2-1/2"	125
3RMW30DM4-53	-	27769E025	3	3	575	20'	M	3"	2-1/2"	125
3RMW15DM2-01	-	27767E010	1-1/2	1	200	20'	M	3"	2"	125
3RMW15DM2-21	-	27767E011	1-1/2	1	230	20'	M	3"	2"	125
3RMW15DM2-03	-	27767E012	1-1/2	3	200	20'	M	3"	2"	125
3RMW15DM2-23	-	27767E013	1-1/2	3	230	20'	M	3"	2"	125
3RMW15DM2-43	-	27767E014	1-1/2	3	460	20'	M	3"	2"	125
3RMW15DM2-53	-	27767E015	1-1/2	3	575	20'	M	3"	2"	125
3RMW20DM2-01	-	27767E020	2	1	200	20'	M	3"	2"	125
3RMW20DM2-21	-	27767E021	2	1	230	20'	M	3"	2"	125
3RMW20DM2-03	-	27767E022	2	3	200	20'	M	3"	2"	125
3RMW20DM2-23	-	27767E023	2	3	230	20'	M	3"	2"	125
3RMW20DM2-43	-	27767E024	2	3	460	20'	M	3"	2"	125
3RMW20DM2-53	-	27767E025	2	3	575	20'	M	3"	2"	125
3RMW30DM2-21	-	27767E030	3	1	230	20'	M	3"	2"	125
3RMW30DM2-03	-	27767E031	3	3	200	20'	M	3"	2"	125
3RMW30DM2-23	-	27767E032	3	3	230	20'	M	3"	2"	125
3RMW30DM2-43	-	27767E033	3	3	460	20'	M	3"	2"	125
3RMW30DM2-53	-	27767E034	3	3	575	20'	M	3"	2"	125

Models ending in "4-xx"=1750, Models ending in "2-xx"=3450 RPM

UTILITY PUMPS

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD LENGTH	SWITCH	DISCHARGE	SOLIDS HANDLING	LBS	
UTILITY PUMPS											
SPS-4	022315378193	-	1/4	1	115	8'	M	1"	Drain Water	6	
MES106-01	054128830544	-	1/12	1	115	6'	M	Garden Hose	Drain Water	6	
MUSP125-01	054128210384	27546A000	1/3	1	115	8'	A	1-1/4"	Drain Water	15	
MUFKP40	022315381575	-	Kit includes: 4/10								20
MUP40	022315381681	-	4/10	1	115	15'	M	1-1/4"	1/4"	5	
MHC25	022315381698	-	25' Cloth hose with cam lock fittings								2
MDPC	022315316416	-	1/2	1	115	10'	M	1-1/4"	1/4"	39	
STAINLESS STEEL UTILITY PUMP											
DU25M1	022315317321	-	1/4	1	115	15'	M	1-1/4"	1/8"	11	
GAS ENGINE TRANSFER PUMP											
EDP55RV-01	022315323667	-	6-1/2	2" Suction and 2" discharge. 4 Cycle PowerPro gasoline engine.						59	

BASINS AND ACCESSORIES

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
18" AND 24" ECONOMY BASINS AND COVERS				
PW73-15	022315175525	-	Structural Foam, 18" x 30" Simplex Basin for PVC inlet pipe. 30 gallon capacity.	12
PW73-17P	022315175532	-	Polyethylene, 18" Simplex Cover 2" discharge 2" vent	2
PW73-14	022315175556	-	Cast Iron, Hub Kit for cast iron inlet pipe	5
PW73-29	022315329980	-	Plastic, Hub Kit for plastic inlet pipe	1.5
PREMIUM 18" BASINS AND COVERS				
PW73-2	022315329973	-	Structural Foam, 18" x 30" Simplex Basin with plastic pipe adapter. 30 gal. capacity.	14
PW3-17	022315329812	-	Structural Foam, 18" Simplex Cover 2" discharge 2" vent, 20.5" Overall	8
18" x 30" POLYETHYLENE BASINS ONLY NO COVERS				
-	054128847801	25533D100	18"x 30", Roll Top, Snap-In Compression, Use with Solid Cover	17
-	054128847856	25960D000*	18"x30", Snap-In Compression, Use with Steel Cover	15
-	054128847849	25536C100	2" discharge, 2" or 3" vent, use with solid plastic cover	2
-	054128847832	25536C011	2" discharge, 3" vent, use with split cover	10
-	054128847825	25536C010	2" discharge, 2" vent, use with split cover	10
-	054128847887	25961C401	2" discharge, 2" or 3" vent, use with solid steel cover	10
-	054128848600	25497C000	Cast Iron inlet hub	-
-	054128847504	22059A024K	18"x 30", 2" discharge, 3" vent, Snap-In Compression, use with solid cover.	25
-	054128847528	22059A025K	18"x30", 2" discharge, 3" vent, use with split cover	25
<i>*IAPMO Listed</i>				
18" DIAMETER STEEL BASIN COVERS				
JBC-3S3-18	054128847610	22690A002	Two piece split cover, 3" discharge, 3" vent, includes switch flange	9
JBC-2S3-18	054128847627	22690A003	Two piece split cover, 2" discharge, 3" vent, includes switch flange	9
JACKEL 18" STRUCTURAL FOAM COVERS				
JBCF-2S2-18L/F	054128847719	25323A000	Two piece split cover, 2" discharge, 2" vent	7
JBCF-2S2-18W/F	054128847757	25323A004	Two piece split cover, 2" discharge, 2" vent, includes switch flange	8
18" DIAMETER BASINS				
JB-1830A	054128847474	22059A002	18" x 30" Structural Foam Basin with 4" Snap-In Compression, Type Hub - Less Cover	15
30" DIAMETER SIMPLEX BASIN				
B20-3036	054128315904	21896D004	Simplex basin for sewage pumps. 30"x36"	160
BASIN COVERS				
BC20-30	054128316000	21902D023	Simplex Cover for 30" Basin	87
BC20-30D	054128316024	21902D001	Duplex Cover for 30" Basin	94
BC30-30D	054128316031	21902D002	Duplex Cover for 30" Basin, 3" Discharge Flange	94

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
BASIN PACKAGE REPAIR PARTS				
RPK-1830	054128300634	25536A025	Sewage Basin Package Gasket Kit: All seals, inlet hub, and fasteners for SR, CMV basins (AK)	2
RPK-1830I	054128300641	25961A025	Sewage Basin Package Gasket Kit: All seals, inlet hub, and fasteners for IAPMO basin	2
RPK-1830J	054128300610	25536A130	Sewage Basin Package Gasket Kit: All seals, inlet hub, and fasteners for CMV basin (Jackel)	2
JACKEL PDS300	054128849027	27011A137	3" Discharge (slip) JACKEL PDS300	-
-	054128849041	27011A139	3" Vent (slip)	-
FIBERGLASS BASINS				
FB-2448	054128719078	23901D501	24"x48"	68
FB-2460	054128719085	23901D503	24"x60"	80
FB-2472	054128719092	23901D505	24"x72"	96
FB-2484	054128719108	23901D507	24"x84"	116
FB-2496	054128849423	23901D509	24"x96"	136
FB-24108	054128719115	23901D511	24"x108"	154
FB-24132	054128719139	23901D515	24"x132"	195
FB-3048	054128720098	24198D601	30"x48"	75
FB-3060	054128720111	24198D603	30"x60"	96
FB-3072	054128720135	24198D605	30"x72"	118
FB-3084	054128720142	24198D607	30"x84"	140
FB-3096	054128720159	24198D609	30"x96"	162
FB-3648	054128719634	24197D601	36"x48"	120
FB-3660	054128719641	24197D603	36"x60"	150
FB-3672	054128719658	24197D605	36"x72"	180
FB-3684	054128719665	24197D607	36"x84"	210
FB-3696	054128719672	24197D609	36"x96"	240
FB-36108	054128720999	24197D611	36"x108"	275
FB-36120	054128719696	24197D613	36"x120"	310
FB-36144	054128719719	24197D617	36"x144"	380
FB-4848	054128720685	24215D601	48"x48"	220
FB-4860	054128720692	24215D603	48"x60"	260
FB-4872	054128720708	24215D605	48"x72"	300
FB-4884	054128720715	24215D607	48"x84"	340
FB-4896	054128720722	24215D609	48"x96"	380
FB-48108	054128720739	24215D611	48"x108"	450
FB-48120	054128720746	24215D613	48"x120"	500
FB-48132	054128720753	24215D615	48"x132"	550

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
BASIN COVERS FOR FIBERGLASS OR CONCRETE BASINS				
S-24	054128783819	21936D200	24", Polypropelene	7
F-30	054128785332	24951C030	30", Fiberglass	11
F-36	054128785349	24951C036	36", Fiberglass	16
F-48	054128785356	24951C048	48", Fiberglass	29
C-24	054128783789	21936D000	24", Steel	46
C-30	054128783703	21927D001	30", Steel	72
C-36	054128785240	24188B000	36", Steel	90
C-48	054128783574	23414C030	48", Steel	170
BCH-24	054128783888	22472C000	24", Steel w/Hatch Door	50
BCH-30	054128783949	22474C000	30", Steel w/Hatch Door	66
BCH-36	054128784083	22475C020	36", Steel w/Hatch Door	95
BCH-48	054128784250	22476C020	48", Steel w/Hatch Door	170
BCHM-24	054128783871	22472C010	24", Steel w/Hatch Door with sleeve mount for control panel and junction box	50
BCHM-30	054128783932	22474C010	30", Steel w/Hatch Door with sleeve mount for control panel and junction box	66
BCHM-36	054128784076	22475C010	36", Steel w/Hatch Door with sleeve mount for control panel and junction box	95
BCHM-48	054128784243	22476C010	48", Steel w/Hatch Door with sleeve mount for control panel and junction box	170
HCR-60	054128784816	23415D020	60", Steel	255
HCR-60W	054128784830	23415D026	60", Steel	255
HCD-60	054128784809	23415D000	60", Steel w/Opening for Mounting Control Panel	255
HCD-60W	054128784823	23415D025	60", Steel w/Opening for Mounting Control Panel	255

REPAIR PART KITS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
SEWAGE PUMP REPAIR PARTS KITS				
PKSRM4	054128316208	25218A002	Repair Parts for SRM4 Pumps. Inclues impeller	5
PKWHV5	054128316215	25218A000	Repair Parts for: WHV5 Pumps	5
PKWHR/E/H	054128316222	25218A006	Repair Parts for: WHR, WHRH, WHRE	5
PKWHR/E/H-DS	054128316239	25218A001	Repair Parts for: WHR-DS, WHRH-DS, WHRE-DS	7
PK3WHV	054128790770	25218A010	Service Kit for 3WHV Series Pumps	2
KA-300G	054128304007	26219A000	3" Adapter Kits for MW Sewage Pumps. 2"X3" Adapter Kit, Galvanized	4
KA-300P	054128304021	26219A001	3" Adapter Kits for MW Sewage Pumps. 2"X3" Adapter Kit, PVC	1
LEG-625A	054128787558	23768A020	Support Legs for 3WHV Pumps & Mounting Hardware.	4
LEG-500P	054128787497	23535A020	Leg Kit for MRG20-21. Nylon Feet.	1

RAIL SYSTEMS AND CHAINS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
RAIL SYSTEMS FOR USE IN CONCRETE OR FIBERGLASS BASIN: 1-1/4" - 3"				
<i>Required per pump</i>				
SRA-125	-	22411C047	1-1/4"x2" Use with VRS20 - 3/4" guide pipes required not included. Use w/MRG20 (143600001 Galvanized, 143602001 SST)	38
SRA-125-CV	-	22411C048	1-1/4"x2" Use with VRS20 - 3/4" guide pipes required not included. Includes check valve. Use w/MRG20	40
SRA-150	-	26417E010	1-1/2"x2" Discharge. Use with ME3H, ME3F, S4OHT, SSM - 3/4" guide pipes required not included	38
SRA-150-CV	-	26417E011	1-1/2"x2" Discharge. Use with ME3H, ME3F, S4OHT, SSM - 3/4" guide pipes required not included. Includes check valve.	40
SRA-200	-	26417E020	2"x2" Discharge. ME50-150,SRM4, MWH50, MW100-200, S5OHT, WHR, WHRH, VRS10, MSP40, MSP50, MESPD, MES50-100, MSKS50-100, MSKHS50-200, MEOSP50, MSKV50 - 3/4" guide pipes required not included	40
SRA-200-CV	-	26417E021	2"x2" Discharge. ME50-150,SRM4, MWH50, MW100-200, S5OHT, WHR, WHRH, VRS10, MSP40, MSP50, MESPD, MES50-100, MSKS50-100, MSKHS50-200, MEOSP50, MSKV50 - 3/4" guide pipes required not included. Includes check valve.	43
SRA-300	-	26417E030	3"x3" Discharge. ME50-150,SRM4, MWH50, MW100-200, S5OHT, WHR, WHRH - 3/4" guide pipes required not included.	50
SRA-320	-	26417E032	3"x3" Discharge. ME50-150,SRM4, MWH50, MW100-200, S5OHT, WHR, WHRH - 3/4" guide pipes required not included.	50
SRA-3030	-	24420E205	3"x3" Guide rail for 3WHV, 3RMW check valve not included. -1-1/2" guide pipes required not included	178
-	-	27609A003	MTM 3" Discharge Elbow Size - 3" Piping Size - 1-1/2" Guide Rail Size	
-	-	27609A004	MTM 4" Discharge Elbow Size - 4" Piping Size - 2" Guide Rail Size	
RAIL SUPPORT BRACKET				
<i>Includes: mounting plate, bracket, pipe support, hook & Nut, washer & cap screw. Required per pump</i>				
TRS-75	054128724935	24439C100	Top rail support for mounting rails to hatch frame. For 3MW - for 3/4" guide pipes	5
TRS-75SST	054128724942	24439C101	Stainless steel top rail support for mounting rails to hatch frame - for 3/4" guide pipes	5
TRS-150	-	23830D010	Top rail support for mounting rails to hatch frame. For 3WHV - for XX" Guide rails	40
CHAIN PACKAGES				
<i>Required per pump</i>				
CP-75	054128725727	25193A100	Galvanized chain package, SRA150/200 10' LGTH with shackles	5
CP-75SST	-	25193A101	Stainless steel chain package, SRA150/200 10' LGTH with shackles	5
CP-5	-	25193A050	Chain package for 3WHV pumps -20' with mounting hardware	15
CP-5SST	-	25193A051	SST chain package for 3WHV pumps -20' with mounting hardware	15
CP-75-3	-	25193A110	Chain package for 3MW pumps-20' with mounting hardware	15
CP-75SST-3	-	25193A111	SST chain package for 3MW Pumps-20' with mounting hardware	15
Chain adder - Galvanized	-	-	Sold in 5' Increments	-
Chain adder - SST	-	-	Sold in 5' Increments	-

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
INTERMEDIATE GUIDE BRACKET				
<i>Required for each 12' of basin depth in excess of 12' per pump</i>				
IGB-75	-	23790C010	Galvanized intermediate guide bracket-2" pipe.	6
IGB-75SST	-	23790C011	Stainless steel intermediate guide bracket-2" pipe.	6
IGB-75-3	-	23790C020	Galvanized intermediate guide bracket-3" pipe.	6
IGB-75SST-3	-	23790C021	Stainless steel intermediate guide bracket-3" pipe.	6
-	-	134450037	3" Discharge Elbow Size - 3" Piping Size - 1-1/2" Guide Rail Size	-
-	-	134450047	4" Discharge Elbow Size - 4" Piping Size - 2" Guide Rail Size	-
GUIDE PLATE				
GP-SST	-	26456A000	Plate, Guide SST	3
VALVE KIT				
VHK20	-	25393C000	2" Brass gate valve and extension handle kit. 3/8" pipe	15
LIFTING CHAINS AND ACCESSORIES				
-	-	131340005	10' Sump Dept - 3/16" Galvanized Chain - 750 lb. Load Limit	-
-	-	131340015	15' Sump Dept - 3/16" Galvanized Chain - 750 lb. Load Limit	-
-	-	131340025	20' Sump Dept - 3/16" Galvanized Chain - 750 lb. Load Limit	-
-	-	131340035	25' Sump Dept - 3/16" Galvanized Chain - 750 lb. Load Limit	-
-	-	131340045	30' Sump Dept - 3/16" Galvanized Chain - 750 lb. Load Limit	-
-	-	131340055	35' Sump Dept - 3/16" Galvanized Chain - 750 lb. Load Limit	-
-	-	131130005	10' Sump Dept - 3/16" Stainless Steel Chain - 500 lb. Load Limit	-
-	-	131130015	15' Sump Dept - 3/16" Stainless Steel Chain - 500 lb. Load Limit	-
-	-	131130025	20' Sump Dept - 3/16" Stainless Steel Chain - 500 lb. Load Limit	-
-	-	131130035	25' Sump Dept - 3/16" Stainless Steel Chain - 500 lb. Load Limit	-
-	-	131130045	30' Sump Dept - 3/16" Stainless Steel Chain - 500 lb. Load Limit	-
-	-	131130055	35' Sump Dept - 3/16" Stainless Steel Chain - 500 lb. Load Limit	-
-	-	097383105	10' Sump Dept - 3/16" Stainless Steel Chain - 750 lb. Load Limit	-
-	-	097383155	15' Sump Dept - 3/16" Stainless Steel Chain - 750 lb. Load Limit	-
-	-	097383205	20' Sump Dept - 3/16" Stainless Steel Chain - 750 lb. Load Limit	-
-	-	097383255	25' Sump Dept - 3/16" Stainless Steel Chain - 750 lb. Load Limit	-
-	-	097383305	30' Sump Dept - 3/16" Stainless Steel Chain - 750 lb. Load Limit	-
-	-	097383355	35' Sump Dept - 3/16" Stainless Steel Chain - 750 lb. Load Limit	-
GUIDE RAIL ASSEMBLY				
HGS-1-1/4	-	064110235	Simplex - 1-1/4" Discharge. 30" minimum basin diameter. Does not include cover.	220
HGS-2	-	069190235	Simplex - 2" Discharge. 36" minimum basin diameter. Does not include cover.	245
"T" BAR GUIDE				
RTF	RTF	RTF	Simplex T Bar Rail Extended Length (with gate valve extension)	3
RTF	RTF	RTF	Duplex T Bar Rail Extended Length (with gate valve extension)	6

FLANGES

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
DISCHARGE FLANGES				
FD20-36	054128724065	23623C005	2" discharge flange for 24" to 36" basins. Includes gasket and mounting bolts.	15
FD20-48	054128724072	23623C015	Same as above except for 48" basin.	17
DF3-48	054128786681	22425A013	3" discharge flange for simplex installation in 48" fiberglass basin. Package includes bolts and gasket.	5
SFE-3	-	23497A103	Standard 90° 3" flanged elbow. Used for construction of discharge line.	22
CONDUIT FLANGES				
CF-150	054128786674	22424C010	1-1/2" conduit flange for mounting connection box when control box is off-set from basin. Bolts and gasket included for simplex system.	5
CF-200	054128786711	22427C010	2" conduit flange for mounting connection box when control box is off-set from basin. Bolts and gasket included for simplex systems.	5
CF-300	054128787794	24158C010	3" conduit flange same as above. For duplex system.	5
REDUCING FLANGES				
FR-300	054128312200	21907B000	2" to 3" reducer flange. Does not include gasket & screws. WHR Series	9
FR-300A	054128849478	002070002	2" to 3" reducer flange. Does not include gasket & screws. WHRH Series	9
3 CI Kit	-	513520137	KIT-DISCHARGE use with models MESP, MSP50; MSK, MSKHS & WHRH series pumps	2
3 BR KIT	-	513520147	KIT-DISCHARGE use with model MSP50AB	2
CAULKING TYPE CAST IRON CAULKING HUBS				
CAST IRON WITH ADAPTER				
MIFC-400-24	054128786902	22631C012	4" discharge, 24"-36" basin diameter	8
MIFC-600-48A	054128787084	22741C012	6" discharge, 48"-60" basin diameter, for use with sch 40 PVC pipe.	11
JIFC-800-36B298	054128788098	24246B298	8" discharge, 36"-48" basin diameter.	22
NEOPRENE ALTERNATIVE FLANGE				
4ADA	054128788128	24335A001	4" SCH 40 inlet, Min. 12" radius	2
4ADA-SDR35	054128788159	24335A004	4" SDR 35 inlet, Min. 12" radius	2
6ADA	054128788135	24335A002	6" SCH 40 inlet, Min. 12" radius	4
6ADA-SDR35	054128788166	24335A005	6" SDR 35 inlet, Min. 12" radius	4
DUCTILE IRON SEALING FLANGE AND ACCESSORIES				
-	-	134430031	MTM 3" Pump Discharge size - 3" Discharge Elbow Size - 1-1/2" Guide Rail Size	11
-	-	134430043	MTM 4" Pump Discharge size - 4" Discharge Elbow Size - 2" Guide Rail Size	26
-	-	518340035	MTM 3" Pump Discharge size - 3" Discharge Elbow Size - 1-1/2" Guide Rail Size	2
-	-	518340045	MTM 4" Pump Discharge size - 4" Discharge Elbow Size - 2" Guide Rail Size	3
-	-	134420033	Discharge elbow - 3" Pump Discharge	34
-	-	134420043	Discharge elbow - 4" Pump Discharge	80
<i>Order sealing flange and accessories together</i>				

JUNCTION BOXES

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
SIMPLEX				
SJBS-6	054128781952	24393D008	Structural foam junction box for use with SS, SR,WHR, WHRH, MW, & ME pumps. Single phase pumps. 2 float system.	4
SJBS-7	054128781969	24393D009	Structural foam junction box for use with SS, SR,WHR, WHRH, MW, & ME pumps. Single phase pumps. 3 float system.	4
SJBS-8	054128782041	24393D018	Structural foam junction box for use with WHR, WHRH & ME pumps. Three phase pump only. 3MW single seal pump with 12-3 and 16-4 power cord.	4
SJBS-16	054128315805	24393D045	Structural foam junction box for use with MW and ME double seal single phase pumps.	4
SJBS-17	054128315812	24393D046	Structural foam junction box for use with MW and ME double seal three phase pumps. 3MW double seal pump, 12-3 and 16-4 power cord.	4
SJBS-19	054128782539	24393D089	Structural foam junction box for use with 3MW double seal pump with 14-4 power cord.	4
DUPLEX				
SJBD-1	054128781938	24393D006	Duplex structural foam junction box. Use with 3MW single seal pump with 14-4 power cord.	4
SJBD-3	054128781921	24393D005	Duplex structural foam junction box. Use with SS, SR, WHR, WHRH, MW and ME pumps. Single phase pump.	4
SJBD-4	054128782058	24393D019	Duplex structural foam junction box. Use with WHR, WHRH, MW and ME pumps. 3 Ph only. 3MW single seal pump, 12-3 and 16-4 power cord.	4
SJBD-10	054128315829	24393D047	Duplex structural foam junction box. Use with MW and ME double seal single phase pumps.	4
SJBD-11	054128315836	24393D048	Duplex structural foam junction box. Use with MW and ME double seal with three phase pumps. 3MW double seal pump 12-3 and 16-4 power cord.	4
SJBD-13	054128782560	24393D092	Duplex structural foam junction box. Use with 3MW double seal pump with 14-4 cord.	4
JBD-144	054128782683	26403A120	Duplex cast aluminum junction box nema 7 rating. Use with SX50 pumps.	4
STRUCTURAL FOAM JUNCTION BOXES FOR 3WHV PUMPS				
SJBD-5	054128781990	24393D013	Duplex Structural Foam junction box for use with 3WHV pumps. Use with SM switches.	4

ACCESSORIES

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
WS-LINK TRI-LARM WATER SENSOR				
WS-LINK	-	-	TRI-LARM: One sensor	1
WS-LINK-KIT	-	-	TRI-LARM: One sensor and gateway	2
WS-LINK2-KIT	-	-	TRI-LARM: Two sensors and a gateway	3
WS-LINK3-KIT	-	-	TRI-LARM: Three sensors and gateway	4
SUPPORT BRACKETS FOR CONTROLS				
CSB-4SS	054128311609	22470B020	Basin mounted stainless steel 4 hole switch bracket with cord holding snubbers & bolts.	2
CSB-5SS	054128311623	23631B020	Basin mounted stainless steel 5 hole switch bracket with cord holding snubbers & bolts.	2
CHECK VALVES				
CV-200	054128311807	21695C000	1 NPT. 2" check valve, iron body and seat, smooth rubber clapper. Use with sewage pumps and low pressure (50 PSI) water service.	12
CV-300	054128311821	22206C000	Same as above except for 3" std. Pipe	20
CV-150	054128311845	21904A000	1-1/2" plastic valve with 1-1/4"/1-1/2" connection sleeves. Clamp on.	1
CV-170E	054128311876	25544B000	Same as the CV-150 except not shipped in carton.	1
CV-150P	054128311869	24337A020	1-1/2" plastic coupling check valve.	1
CV-200P	054128311883	24337A000	2" plastic coupling check valve.	2
CV-300P	054128311906	24337A010	3" plastic coupling check valve.	3
HCV S125		124410001	1-1/4" Solvent weld PVC 5-1/4"	1
HCV S150		124410021	1-1/2" Solvent weld PVC 5-3/4"	1
HCV S200		124410011	2" Solvent weld PVC 6"	1
HCV 125/150		132540011	1-1/4" or 1-1/2" Compression PVC 5-1/4"	1
HCV 200		132550011	2" Compression PVC 9-3/4"	2
HCV 300		132550021	3" Compression PVC 14"	5
ALARMS				
SA-1	054128848402	23760A001	115V, NEMA 1 enclosure, mercury switch included. Temp. range 150° F. Warning lights and horn.	9
CA-SS4	054128312026	22291D000	Alarm and Connection Box. Has buzzer alarm, on-off-test switch with terminal block for all connections. Order SM or PM alarm switch separately, not included. NEMA 1	11

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
OIL DETECTION ELEVATOR PUMP CONTROL SYSTEM - CAST IRON				
EPC-115	022315343160	-	Elevator pump control 115V alarm	10
CONTROL SHUNT PLUG				
RPU	054128312507	24449A510	Electrical watertight connector to convert pump operation from automatic to manual. To be used with S33, CMV5, ME40 & MW50	-
HIGH WATER ALARMS				
PW217-115	022315330085	-	Nema 1 Indoor Alarm 120 VAC Primary / 12 VAC Secondary	-
CAPACITOR KITS FOR SINGLE PHASE PANELS				
CAP-V-15K-21	054128783024	23499C002	For 1 & 1-1/2 HP single phase 230 volt series. One pump required. Kit includes start relay, start capacitor(s), run capacitor(s) and all necessary mounting hardware.	4
CAP-V-20K-21	054128783048	23499C003	For 2 HP single phase 230 volt series. One pump required. Kit includes start relay, start capacitor(s), run capacitor(s) and all necessary mounting hardware.	4
CAP-V-30K-21	054128783062	23499C004	For 3 HP and 5 HP single phase 230 volt series. One pump required. Kit includes start relay, start capacitor(s), run capacitor(s) and all necessary mounting hardware.	6
MOUNTING STANDS FOR CONTROL BOXES				
MS-H	054128786834	22477C000	For simplex control box. Includes 2" mounting pipe and box mounting straps. Bolts supplied. All parts epoxy coated. Use on HCD covers.	22
MSD-H	054128786865	22478C000	For duplex control box. Includes 2" mounting pipe and box mounting straps. Bolts supplied. All parts epoxy coated. Use on HCD covers.	24
VERTICAL PIPE PANEL SUPPORT REQUIRES SEPARATE "CABLE CONDUIT"				
MS-XD	054128786582	22213C001	For duplex. Includes vertical stand with cross bars and mounting base for use on concrete pad.	24

CORDS

MODEL	UPC #	ENG. NO.	DESCRIPTION					LBS
POWER CORD OPTIONS								
PW117-237-TSE	022315328105	-	10', 115V 1Ph for MDC33, MDC50					2
PW117-293-TSU	-	-	30', 115V 1Ph for MOC, ME40I, ME40, ME40-CI & MWS550					2
P18-1628K	-	-	2NFL 4" Effluent Pump Replacement power cord 30'					4
P18-1629K	-	-	2NFL 4" Effluent Pump Replacement power cord 50'					7
P18-1630K	-	-	2NFL 4" Effluent Pump Replacement power cord 100'					13
POWER CORD ADDERS, FACTORY INSTALLED								
SRM4, SSM33, ME3, ME45	-	21628B050	30', 16-3 gauge, SJTW/SJTWA - excludes plug					1
SRM4, SSM33, ME3, ME45	-	21628B051	50', 16-3 gauge, SJTW/SJTWA - excludes plug					1
S33, CMV5, ME40	-	21628B024	30', 16-3 gauge, SJOW/SJOWA - excludes plug					1
S33, CMV5, ME40	-	21628B021	50', 16-3 gauge, SJOW/SJOWA - excludes plug					1
PUMP SERIES	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD SIZE	TYPE	LBS
20' REPLACEMENT CORDS								
ME, MW, P	-	25338B002	3/4 - 2	1	208/230	14/3	Less Plug	5
ME, P	-	25338B000	1/2 - 3/4	1	115	14/3	With Plug	5
ME, P, MWH50, MW, MG, MRG	-	25338B001	1/2 - 2	1	208/230	14/3	With Plug	5
ME, MW, P	-	25339B000	1/3 - 2	1	208/230/460/575	16/2	Less Plug	5
ME	-	25338B006	1/3 - 1/2	1	115/208/230	16/3	Less Plug	5
ME	-	25338B004	1/3 - 1/2	1	115	16/3	With Plug	5
ME	-	25338B005	1/3 - 1/2	1	208/230	16/3	With Plug	5
ME, MW, P	-	25338B003	1/3 - 2	3	208/230/460/575	16/4	Less Plug	6
WHR	-	21533A002K	1/2 - 1	1	115	14/3	With Plug	5
WHR	-	21533A005K	1/2 - 1	1	208/230	14/3	With Plug	5
WHR	-	21533A018	1/2 - 1	1	115/208/230	14/3	Less Plug	5
WHR-DS	-	21533A009	1/2 - 1	1	115/208/230	14/4	Less Plug	5
WHR	-	21533A006K	1/2 - 2	1	208/230/460/575	16/9	Less Plug	5
WHR-DS	-	21533A024	1/2 - 2	3	208/230/460/575	16/5	Less Plug	5
WHRH	-	25338B009	1-1/2 - 2	1	208/230	12/3	Less Plug	5
WHRH	-	25338B008	1-1/2 - 2	3	208/230/460/575	14/4	Less Plug	11

PUMP SERIES	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD SIZE	TYPE	LBS
30' REPLACEMENT CORDS								
ME, P, MWH50, MW, MG, MRG	-	25338B032	1/2 - 2	1	208/230	14/3	Less Plug	3
ME, MW, P	-	25339B030	1/3 - 2	1	208/230/460/575	16/2	Less Plug	2
ME	-	25338B036	1/3 - 1/2	1	115/208/230	16/3	Less Plug	3
ME, MW, P	-	25338B033	1/3 - 2	3	208/230/460/575	16/4	Less Plug	3
WHR	-	21533A027	1/2 - 1	1	115	14/3	With Plug	0
WHR	-	25338B039	1/2 - 1	1	115/208/230	14/3	With Plug	3
WHR-DS	-	21533A034	1/2 - 1	1	115/208/230	14/4	Less Plug	0
WHR	-	21533A033	1/2 - 2	3	208/230/460/575	16/9	Less Plug	4
WHR-DS	-	21533A035	1/2 - 2	3	208/230/460/575	16/5	Less Plug	0
WHRH	-	25338B037	1-1/2 - 2	1	208/230	12/3	Less Plug	7
WHRH	-	25338B038	1-1/2 - 2	3	208/230/460/575	14/4	Less Plug	6
PUMP SERIES	UPC #	ENG. NO.	HP	PHASE	VOLTS	CORD SIZE	TYPE	LBS
50' REPLACEMENT CORDS								
ME, P, MWH50, MW, MG, MRG	-	25338B052	1/2 - 2	1	208/230	14/3	Less Plug	7
ME, MW, P	-	25339B050	1/3 - 2	1	208/230/460/575	16/2	Less Plug	3
ME	-	25338B056	1/3 - 1/2	1	208/230	16/3	Less Plug	4
ME, MW, P	-	25338B053	1/3 - 2	3	208/230/460/575	16/4	Less Plug	6
WHR	-	21533A028	1/2 - 1	1	115	14/3	With Plug	1
WHR	-	21533A030	1/2 - 1	1	208/230	14/3	With Plug	0
WHR	-	21533A014	1/2 - 1	1	115/208/230	14/3	Less Plug	4
WHR-DS	-	21533A031	1/2 - 1	1	115/208/230	14/4	Less Plug	1
WHR	-	21533A032	1/2 - 2	3	208/230/460/575	16/9	Less Plug	1
WHR-DS	-	21533A036	1/2 - 2	3	208/230/460/575	16/5	Less Plug	1
WHRH	-	25338B057	1-1/2 - 2	1	208/230	12/3	Less Plug	4
WHRH	-	25338B058	1-1/2 - 2	3	208/230/460/575	14/4	Less Plug	10

LEVEL CONTROLS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
MECHANICAL FLOAT SWITCH (FULL AMPERAGE)				
SMF10NO	-	27581A010	10' N.O. = Normally Open mechanical float switch	3
SMF20NO	-	27581A020	20' N.O. = Normally Open mechanical float switch	3
SMF25NO	-	27581A025	25' N.O. = Normally Open mechanical float switch	3
SMF50NO	-	27581A050	50' N.O. = Normally Open mechanical float switch	6
SMFX20NO	-	27593A020	20' N.O. = Normally Open Intrinsically Safe mechanical Float Switch	9
SMFX30NO	-	27593A030	30' N.O. = Normally Open Intrinsically Safe mechanical Float Switch	5
SMFX60NO	-	27593A060	60' N.O. = Normally Open Intrinsically Safe mechanical Float Switch	6
NORMALLY OPEN CONTACT (FOR PUMP DOWN OPERATION)				
PW217-179B	022315153172	-	1/2HP, 115V, 10'cord, Max 13FLA and 85 Starting	2
PW217-107B	022315153189	-	1/2HP, 115V, 20'cord, Max 13FLA and 85 Starting	2
PW217-108B	022315153226	-	1HP, 230V, 20'cord, Max 13FLA and 85 Starting	3
PW217-112B	022315167414	-	2HP, 230V, 20'cord, Max 13FLA and 85 Starting	3
NORMALLY CLOSED CONTACT (FOR PUMP UP OPERATION)				
PW217-180B	022315146969	-	1/2HP, 115V, 10'cord, Max 13FLA and 85 Starting	1

PUMP SWITCHES

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
FLOAT WEIGHT				
PW73-31	022315330108	-	Snap Clip Cable Weight for use with 18/2, 18/3, 18/4, 16/2, 16/3, 14/2, 14/3, or 12/2 Gauge Cable	2
REPLACEMENT SWITCHES				
KC01	054128312507	25798A500K	Quick change mechanical switch. To be used with S33A1, CMV5, ME40.	1
KC-011	054128312583	26292B100K	Quick change vertical float. To be used with S33A1-PS, S33V1, ED-25 & SP25V1	2
KC-012	054128312606	26292B140K	Piggyback vertical float 10', 115V cord. To be used with SSM33PV1.	2
KC-013	054128312620	26292B141K	Piggyback vertical float 20', 115V cord. To be used with SSM33PV1C.	2
KC-015	054128311357	21813B145K	Piggyback tethered float 20', 230V cord. To be used with MRG20.	2
PS17-111	022315375390	-	Switch for MW50-HP. 120V 20FT Piggyback 13 FLA	1
ADJUSTABLE LEVEL CONTROLS				
ALC-18P	054128311005	21602C001	Piggy-back style, 18ft cord, 115V	4
ALC-18P2	054128311029	21602C004	Piggy-back style, 18ft cord, 230V	4
AWS-1	054128311043	21603D000	Built in connection box, standard pump down operation	6
AWSU-1	054128311067	21603D010	Built in connection box, pump up operation	6
VERTICAL (MOUNT TO DISCHARGE PIPE)				
20VM1WP	054128311203	26385A000	SJE VerticalMaster™ Pump Switch, for automatic on-off operation. 20' cord, rated at 13 amps for 115 volt, 1 PH use. PVC switch and float housing. Stainless steel mounting bracket and hose clamp. Piggy-back plug. Pumping range of 3/4 to 6-1/2 inches.	2
20VM2WP	054128311227	26385A010	Same as above except rated at 13 amps for 230 volt, 1 PH use.	2
MERCURY FREE MECHANICAL (MOUNT TO DISCHARGE PIPE, 3 PHASE NEEDS PANEL)				
MFS-10	054128311241	21813B130K	115V Mechanical float switch - MERCURY FREE. 10' cord rated at 13 amps for 115 volt use. Polypropylene float. Molded piggy-back plug.	2
MFS-20	054128311265	21813B131K	115V Mechanical float switch - MERCURY FREE. 20' cord rated at 13 amps for 115 volt use. Polypropylene float. Molded piggy-back plug.	3
MFS2-10 (208V)	054128311289	21813B132K	230V Mechanical float switch - MERCURY FREE. 10' cord rated at 13 amps for 208/230 volt use. Polypropylene float. Molded piggy-back plug.	2
MFS2-20	054128311302	21813B133K	230V Mechanical float switch - MERCURY FREE. 20' cord rated at 13 amps for 208/230 volt use. Polypropylene float. Molded piggy-back plug.	3
MFLC-3W	054128311326	21813B124K	CWHV3, CE, CEMP, CMW, D Mechanical float switch - MERCURY FREE. 25', 18/3 SJOW cord with stabilization weight. Rated at 3 amps for 115 or 230 volts panels, pilot duty use 3-1/2 ABS float. Has 1 each normally opened & normally closed curcuit. Double contact switch.	5
MFS2H-20	054128311319	21813B200K	WHR15H, WHR20H-21 Mechanical float switch - MERCURY FREE. 20' cord, rated at 20 amps for 230 volt use. Not terminated. No plug available to make as a PB unit.	3

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
VERTICAL MECHANICAL PIGGYBACK FLOAT SWITCH				
VMPS1 10	-	139640105	10' Cord, 115V. Use with model: VS33/50	3
VMPS1 20	619872012044	139640205	20' Cord, 115V. Use with model: VS33/50	3
VMPSJB1 10	-	141050005	10' Cord, 115V. Use with model: SKV40JBA1	3
VMPS-JB2 10	619872012068	141050015	10' Cord, 230V. Use with model: SKV40JBA2	3
VMPS-VA-1 10	619872017742	139641105	10' Cord, 115V. Use with model: V-A1	3
VMPS-BV40 10	-	141051005	10' Cord, 115V. Use with model: BV40AV1	3
DIAPHRAGM PIGGYBACK SWITCH				
DPS41 10	619872011825	517521007	10' cord, 115V. Use with model: D/SD33/D50	1
DPS41 20	619872011832	517521017	20' cord, 115V. Use with model: D/SD33/50	2
DPS81 10	619872011832	517524037	10' cord, 115V. Use with model: MSP40/MSP50/MSKV40/.50AD	1
DPS81 20-01	619872011887	517524047	20' cord, 115V. Use with model: MSP40/MSP50/MSKV40/.50AD	2
DPS82 10-01	619872017254	517524167	10' cord, 230V. Use with model: MSP40/MSP50	2
DPS82 20	619872011894	517524057	20' cord, 230V. Use with model: MSP40/MSP50	2
DPSPD1 20	619872011979	517523017	20' cord, 115V. Use with model: MESP50	2
DPS121 10-01	619872011993	517524127	10' cord, 115V. Use with model: MSK60	1
DPS121 20-01	619872012006	517524137	20' cord, 115V. Use with model: MSK60	2

CONTROL PANELS

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
CONTROL PANELS				
PW217-189	022315167582	-	Duplex, 3 Phase, 4.0-6.0 Amps	31
PW217-191	022315167599	-	Duplex, 3 Phase, 6.0-10.0 Amps	33
PW217-202	022315167544	-	Simplex, 1 Phase, 20 Amps	14
PW217-203	022315167575	-	Duplex, 1 Phase, 20 Amps	20
ALARM PANELS				
RA-11W	054128773865	26061C000	NEMA 3R steel enclosure, 10" X 8" X 6". Has red Lexan alarm light, fuse and terminal blocks for power & alarm connections.	12
RA-11XW	054128774022	26062C000	NEMA 4X fiberglass enclosure, 10" x 8" x 4". Has red Lexan alarm light, fuse and terminal blocks for power & alarm connections.	8
RA-11	054128774244	26063C000	NEMA 1 steel enclosure, 8" x 8" x 4" (indoor use only). Audible alarm, fuse and terminal blocks for power & alarm connections.	10
ALARM PANEL OPTIONS				
B1	-	-	Alarm Horn: Weatherproof, mounted on outside of enclosure, rated 90 DB @ 10 ft.	-
B2	-	-	Alarm Buzzer: Weatherproof, mounted on outside of enclosure, rated 86 DB @ 10 ft. (Standard on RA-11).	-
G	-	-	Acknowledge Alarm Circuit: Includes alarm bell, exterior bell silence and acknowledge button.	-
G1	-	-	Acknowledge Alarm Circuit: Includes alarm horn, exterior horn silence and acknowledge button.	-
G2	-	-	Acknowledge Alarm Circuit: Includes alarm buzzer, exterior buzzer silence and acknowledge button.	-
CONTROL BOX				
PM-6-24	-	23421A000	Simplex Pedestal Panel Mount	40
PM-24	-	-	Duplex Pedestal Panel Mount	40
MP-1	-	23492C010	Simplex Mount Package	1288
MP-2	-	23492C020	Duplexx Mount Package	876

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CE SIMPLEX INDOOR PANELS										
CE-03S	-	-	½ - ¾	3	200	2.5 - 4	Indoor	Simplex	AE	-
CE-03S	-	-	¾ - 1	3	200	4 - 6	Indoor	Simplex	AF	-
CE-03S	-	-	1 - 1½	3	200	5.5 - 8	Indoor	Simplex	AG	-
CE-03S	-	-	1½ - 2	3	200	7 - 10	Indoor	Simplex	AH	-
CE-03S	-	-	1½ - 2	3	200	9 - 13	Indoor	Simplex	AJ	-
CE-03S	-	-	2 - 3	3	200	12 - 18	Indoor	Simplex	AK	-
CE-11S	-	27655A190	< ¾	1	115	< 15	Indoor	Simplex	AA	-
CE-21S	-	-	< 1½	1	200/230	< 15	Indoor	Simplex	AB	-
CE-21S	-	-	1½ - 2	1	200/230	10 - 20	Indoor	Simplex	AC	-
CE-21S	-	-	2 - 3	1	200/230	15 - 30	Indoor	Simplex	AD	-
CE-23S	-	-	½ - ¾	3	230	2.5 - 4	Indoor	Simplex	AL	-
CE-23S	-	-	¾ - 1	3	230	4 - 6	Indoor	Simplex	AM	-
CE-23S	-	-	1 - 1½	3	230	5.5 - 8	Indoor	Simplex	AN	-
CE-23S	-	-	1½ - 2	3	230	7 - 10	Indoor	Simplex	AP	-
CE-23S	-	-	2 - 3	3	230	9 - 13	Indoor	Simplex	AQ	-
CE-23S	-	-	3	3	230	12 - 18	Indoor	Simplex	AR	-
CE-43S	-	-	½ - 1	3	460	1.6 - 2.5	Indoor	Simplex	AS	-
CE-43S	-	27655S067	1 - 2	3	460	2.5 - 4	Indoor	Simplex	AT	-
CE-43S	-	-	1½ - 3	3	460	4 - 6	Indoor	Simplex	AU	-
CE-43S	-	-	2 - 3	3	460	5.5 - 8	Indoor	Simplex	AV	-
CE-53S	-	-	½ - ¾	3	575	1 - 1.7	Indoor	Simplex	AW	-
CE-53S	-	-	¾ - 1	3	575	1.6 - 2.5	Indoor	Simplex	AX	-
CE-53S	-	-	1 - 2	3	575	2.5 - 4	Indoor	Simplex	AY	-
CE-53S	-	-	1½ - 3	3	575	4 - 6	Indoor	Simplex	AZ	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CE SIMPLEX OUTDOOR PANELS										
CE-03SW	-	-	½ - ¾	3	200	2.5 - 4	Outdoor	Simplex	AE	-
CE-03SW	-	-	¾ - 1	3	200	4 - 6	Outdoor	Simplex	AF	-
CE-03SW	-	-	1 - 1½	3	200	5.5 - 8	Outdoor	Simplex	AG	-
CE-03SW	-	-	1½ - 2	3	200	7 - 10	Outdoor	Simplex	AH	-
CE-03SW	-	-	1½ - 2	3	200	9 - 13	Outdoor	Simplex	AJ	-
CE-03SW	-	-	2 - 3	3	200	12 - 18	Outdoor	Simplex	AK	-
CE-11SW	-	27655A023	< ¾	1	115	< 15	Outdoor	Simplex	AA	-
CE-21SW	-	-	< 1½	1	200/230	< 15	Outdoor	Simplex	AB	-
CE-21SW	-	27655A546	1½ - 2	1	200/230	10 - 20	Outdoor	Simplex	AC	-
CE-21SW	-	-	2 - 3	1	200/230	15 - 30	Outdoor	Simplex	AD	-
CE-23SW	-	-	½ - ¾	3	230	2.5 - 4	Outdoor	Simplex	AL	-
CE-23SW	-	-	¾ - 1	3	230	4 - 6	Outdoor	Simplex	AM	-
CE-23SW	-	-	1 - 1½	3	230	5.5 - 8	Outdoor	Simplex	AN	-
CE-23SW	-	-	1½ - 2	3	230	7 - 10	Outdoor	Simplex	AP	-
CE-23SW	-	-	2 - 3	3	230	9 - 13	Outdoor	Simplex	AQ	-
CE-23SW	-	-	3	3	230	12 - 18	Outdoor	Simplex	AR	-
CE-43SW	-	27655A270	½ - 1	3	460	1.6 - 2.5	Outdoor	Simplex	AS	-
CE-43SW	-	27655A168	1 - 2	3	460	2.5 - 4	Outdoor	Simplex	AT	-
CE-43SW	-	-	1½ - 3	3	460	4 - 6	Outdoor	Simplex	AU	-
CE-43SW	-	-	2 - 3	3	460	5.5 - 8	Outdoor	Simplex	AV	-
CE-53SW	-	-	½ - ¾	3	575	1 - 1.7	Outdoor	Simplex	AW	-
CE-53SW	-	-	¾ - 1	3	575	1.6 - 2.5	Outdoor	Simplex	AX	-
CE-53SW	-	-	1 - 2	3	575	2.5 - 4	Outdoor	Simplex	AY	-
CE-53SW	-	-	1½ - 3	3	575	4 - 6	Outdoor	Simplex	AZ	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CE DUPLEX INDOOR PANELS										
CE-03D	-	-	½ - ¾	3	200	2.5 - 4	Indoor	Duplex	AE	-
CE-03D	-	-	¾ - 1	3	200	4 - 6	Indoor	Duplex	AF	-
CE-03D	-	-	1 - 1½	3	200	5.5 - 8	Indoor	Duplex	AG	-
CE-03D	-	-	1½ - 2	3	200	7 - 10	Indoor	Duplex	AH	-
CE-03D	-	-	1½ - 2	3	200	9 - 13	Indoor	Duplex	AJ	-
CE-03D	-	-	2 - 3	3	200	12 - 18	Indoor	Duplex	AK	-
CE-11D	-	-	< ¾	1	115	< 15	Indoor	Duplex	AA	-
CE-21D	-	-	< 1½	1	200/230	< 15	Indoor	Duplex	AB	-
CE-21D	-	-	1½ - 2	1	200/230	10 - 20	Indoor	Duplex	AC	-
CE-21D	-	-	2 - 3	1	200/230	15 - 30	Indoor	Duplex	AD	-
CE-23D	-	-	½ - ¾	3	230	2.5 - 4	Indoor	Duplex	AL	-
CE-23D	-	-	¾ - 1	3	230	4 - 6	Indoor	Duplex	AM	-
CE-23D	-	-	1 - 1½	3	230	5.5 - 8	Indoor	Duplex	AN	-
CE-23D	-	-	1½ - 2	3	230	7 - 10	Indoor	Duplex	AP	-
CE-23D	-	-	2 - 3	3	230	9 - 13	Indoor	Duplex	AQ	-
CE-23D	-	-	3	3	230	12 - 18	Indoor	Duplex	AR	-
CE-43D	-	-	½ - 1	3	460	1.6 - 2.5	Indoor	Duplex	AS	-
CE-43D	-	-	1 - 2	3	460	2.5 - 4	Indoor	Duplex	AT	-
CE-43D	-	-	1½ - 3	3	460	4 - 6	Indoor	Duplex	AU	-
CE-43D	-	-	2 - 3	3	460	5.5 - 8	Indoor	Duplex	AV	-
CE-53D	-	-	½ - ¾	3	575	1 - 1.7	Indoor	Duplex	AW	-
CE-53D	-	-	¾ - 1	3	575	1.6 - 2.5	Indoor	Duplex	AX	-
CE-53D	-	-	1 - 2	3	575	2.5 - 4	Indoor	Duplex	AY	-
CE-53D	-	-	1½ - 3	3	575	4 - 6	Indoor	Duplex	AZ	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CE DUPLEX OUTDOOR PANELS										
CE-03DW	-	-	½ - ¾	3	200	2.5 - 4	Outdoor	Duplex	AE	-
CE-03DW	-	-	¾ - 1	3	200	4 - 6	Outdoor	Duplex	AF	-
CE-03DW	-	-	1 - 1½	3	200	5.5 - 8	Outdoor	Duplex	AG	-
CE-03DW	-	-	1½ - 2	3	200	7 - 10	Outdoor	Duplex	AH	-
CE-03DW	-	-	1½ - 2	3	200	9 - 13	Outdoor	Duplex	AJ	-
CE-03DW	-	-	3	3	200	12 - 18	Outdoor	Duplex	AK	-
CE-11DW	-	27655A053	< ¾	1	115	< 15	Outdoor	Duplex	AA	-
CE-21DW	-	-	< 1½	1	200/230	< 15	Outdoor	Duplex	AB	-
CE-21DW	-	-	1½ - 2	1	200/230	10 - 20	Outdoor	Duplex	AC	-
CE-21DW	-	-	2 - 3	1	200/230	15 - 30	Outdoor	Duplex	AD	-
CE-23DW	-	-	½ - ¾	3	230	2.5 - 4	Outdoor	Duplex	AL	-
CE-23DW	-	-	¾ - 1	3	230	4 - 6	Outdoor	Duplex	AM	-
CE-23DW	-	-	1 - 1½	3	230	5.5 - 8	Outdoor	Duplex	AN	-
CE-23DW	-	-	1½ - 2	3	230	7 - 10	Outdoor	Duplex	AP	-
CE-23DW	-	-	2 - 3	3	230	9 - 13	Outdoor	Duplex	AQ	-
CE-23DW	-	-	2 - 3	3	230	12 - 18	Outdoor	Duplex	AR	-
CE-43DW	-	-	½ - 1	3	460	1.6 - 2.5	Outdoor	Duplex	AS	-
CE-43DW	-	-	1 - 2	3	460	2.5 - 4	Outdoor	Duplex	AT	-
CE-43DW	-	-	1½ - 3	3	460	4 - 6	Outdoor	Duplex	AU	-
CE-43DW	-	-	2 - 3	3	460	5.5 - 8	Outdoor	Duplex	AV	-
CE-53DW	-	-	½ - ¾	3	575	1 - 1.7	Outdoor	Duplex	AW	-
CE-53DW	-	-	¾ - 1	3	575	1.6 - 2.5	Outdoor	Duplex	AX	-
CE-53DW	-	-	1 - 2	3	575	2.5 - 4	Outdoor	Duplex	AY	-
CE-53DW	-	-	1½ - 3	3	575	4 - 6	Outdoor	Duplex	AZ	-
CE (DS) PANELS										
CE(DS)-11S	-	-	< ¾	1	115	< 15	Indoor	Simplex	BA	-
CE(DS)-21S	-	-	< 1½	1	200/230	< 15	Indoor	Simplex	BC	-
CE(DS)-11SW	-	-	< ¾	1	115	< 15	Outdoor	Simplex	BA	-
CE(DS)-21SW	-	27655A412	< 1½	1	200/230	< 15	Outdoor	Simplex	BC	-
CE(DS)-11D	-	-	< ¾	1	115	< 15	Indoor	Duplex	BA	-
CE(DS)-21D	-	-	< 1½	1	200/230	< 15	Indoor	Duplex	BC	-
CE(DS)-11DW	-	-	< ¾	1	115	< 15	Outdoor	Duplex	BA	-
CE(DS)-21DW	-	-	< 1½	1	200/230	< 15	Outdoor	Duplex	BC	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CMEP (SL) INDOOR SIMPLEX PANELS										
CMEP(SL)-03S	-	-	½ - ¾	3	200	2.5 - 4	Indoor	Simplex	BG	-
CMEP(SL)-03S	-	-	¾ - 1	3	200	4 - 6	Indoor	Simplex	BH	-
CMEP(SL)-03S	-	-	1 - 1½	3	200	5.5 - 8	Indoor	Simplex	BJ	-
CMEP(SL)-03S	-	-	1½ - 2	3	200	7 - 10	Indoor	Simplex	BK	-
CMEP(SL)-03S	-	-	1½ - 2	3	200	9 - 13	Indoor	Simplex	BL	-
CMEP(SL)-03S	-	-	2 - 3	3	200	12 - 18	Indoor	Simplex	BM	-
CMEP(SL)-11S	-	-	< ¾	1	115	< 15	Indoor	Simplex	BB	-
CMEP(SL)-21S	-	-	< 1½	1	200/230	< 15	Indoor	Simplex	BD	-
CMEP(SL)-21S	-	-	1½ - 2	1	200/230	10 - 20	Indoor	Simplex	BE	-
CMEP(SL)-21S	-	-	2 - 3	1	200/230	15 - 30	Indoor	Simplex	BF	-
CMEP(SL)-23S	-	-	½ - ¾	3	230	2.5 - 4	Indoor	Simplex	BN	-
CMEP(SL)-23S	-	-	¾ - 1	3	230	4 - 6	Indoor	Simplex	BQ	-
CMEP(SL)-23S	-	-	1 - 1½	3	230	5.5 - 8	Indoor	Simplex	BR	-
CMEP(SL)-23S	-	-	1½ - 2	3	230	7 - 10	Indoor	Simplex	BS	-
CMEP(SL)-23S	-	-	2 - 3	3	230	9 - 13	Indoor	Simplex	BT	-
CMEP(SL)-23S	-	-	3	3	230	12 - 18	Indoor	Simplex	BU	-
CMEP(SL)-43S	-	-	½ - 1	3	460	1.6 - 2.5	Indoor	Simplex	BV	-
CMEP(SL)-43S	-	-	1 - 2	3	460	2.5 - 4	Indoor	Simplex	BW	-
CMEP(SL)-43S	-	-	1½ - 3	3	460	4 - 6	Indoor	Simplex	BX	-
CMEP(SL)-43S	-	-	2 - 3	3	460	5.5 - 8	Indoor	Simplex	BY	-
CMEP(SL)-53S	-	-	½ - ¾	3	575	1 - 1.7	Indoor	Simplex	BZ	-
CMEP(SL)-53S	-	-	¾ - 1	3	575	1.6 - 2.5	Indoor	Simplex	B2	-
CMEP(SL)-53S	-	-	1 - 2	3	575	2.5 - 4	Indoor	Simplex	B3	-
CMEP(SL)-53S	-	-	1½ - 3	3	575	4 - 6	Indoor	Simplex	B4	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CMEP (SL) INDOOR DUPLEX PANELS										
CMEP(SL)-03D	-	-	½ - ¾	3	200	2.5 - 4	Indoor	Duplex	BG	-
CMEP(SL)-03D	-	-	¾ - 1	3	200	4 - 6	Indoor	Duplex	BH	-
CMEP(SL)-03D	-	-	1 - 1½	3	200	5.5 - 8	Indoor	Duplex	BJ	-
CMEP(SL)-03D	-	-	1½ - 2	3	200	7 - 10	Indoor	Duplex	BK	-
CMEP(SL)-03D	-	-	1½ - 2	3	200	9 - 13	Indoor	Duplex	BL	-
CMEP(SL)-03D	-	-	3	3	200	12 - 18	Indoor	Duplex	BM	-
CMEP(SL)-11D	-	-	< ¾	1	115	< 15	Indoor	Duplex	BB	-
CMEP(SL)-21D	-	-	< 1½	1	200/230	< 15	Indoor	Duplex	BD	-
CMEP(SL)-21D	-	-	1½ - 2	1	200/230	10 - 20	Indoor	Duplex	BE	-
CMEP(SL)-21D	-	-	2 - 3	1	200/230	15 - 30	Indoor	Duplex	BF	-
CMEP(SL)-23D	-	-	½ - ¾	3	230	2.5 - 4	Indoor	Duplex	BN	-
CMEP(SL)-23D	-	-	¾ - 1	3	230	4 - 6	Indoor	Duplex	BQ	-
CMEP(SL)-23D	-	-	1 - 1½	3	230	5.5 - 8	Indoor	Duplex	BR	-
CMEP(SL)-23D	-	-	1½ - 2	3	230	7 - 10	Indoor	Duplex	BS	-
CMEP(SL)-23D	-	-	2 - 3	3	230	9 - 13	Indoor	Duplex	BT	-
CMEP(SL)-23D	-	-	2 - 3	3	230	12 - 18	Indoor	Duplex	BU	-
CMEP(SL)-43D	-	-	½ - 1	3	460	1.6 - 2.5	Indoor	Duplex	BV	-
CMEP(SL)-43D	-	-	1 - 2	3	460	2.5 - 4	Indoor	Duplex	BW	-
CMEP(SL)-43D	-	-	1½ - 3	3	460	4 - 6	Indoor	Duplex	BX	-
CMEP(SL)-43D	-	-	2 - 3	3	460	5.5 - 8	Indoor	Duplex	BY	-
CMEP(SL)-53D	-	-	½ - ¾	3	575	1 - 1.7	Indoor	Duplex	BZ	-
CMEP(SL)-53D	-	-	¾ - 1	3	575	1.6 - 2.5	Indoor	Duplex	B2	-
CMEP(SL)-53D	-	-	1 - 2	3	575	2.5 - 4	Indoor	Duplex	B3	-
CMEP(SL)-53D	-	-	1½ - 3	3	575	4 - 6	Indoor	Duplex	B4	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CMEP (SL) OUTDOOR SIMPLEX PANELS										
CMEP(SL)-03SW	-	-	½ - ¾	3	200	2.5 - 4	Outdoor	Simplex	BG	-
CMEP(SL)-03SW	-	-	¾ - 1	3	200	4 - 6	Outdoor	Simplex	BH	-
CMEP(SL)-03SW	-	-	1 - 1½	3	200	5.5 - 8	Outdoor	Simplex	BJ	-
CMEP(SL)-03SW	-	-	1½ - 2	3	200	7 - 10	Outdoor	Simplex	BK	-
CMEP(SL)-03SW	-	-	1½ - 2	3	200	9 - 13	Outdoor	Simplex	BL	-
CMEP(SL)-03SW	-	-	2 - 3	3	200	12 - 18	Outdoor	Simplex	BM	-
CMEP(SL)-11SW	-	-	< ¾	1	115	< 15	Outdoor	Simplex	BB	-
CMEP(SL)-21SW	-	-	< 1½	1	200/230	< 15	Outdoor	Simplex	BD	-
CMEP(SL)-21SW	-	-	1½ - 2	1	200/230	10 - 20	Outdoor	Simplex	BE	-
CMEP(SL)-21SW	-	-	2 - 3	1	200/230	15 - 30	Outdoor	Simplex	BF	-
CMEP(SL)-23SW	-	-	½ - ¾	3	230	2.5 - 4	Outdoor	Simplex	BN	-
CMEP(SL)-23SW	-	-	¾ - 1	3	230	4 - 6	Outdoor	Simplex	BQ	-
CMEP(SL)-23SW	-	-	1 - 1½	3	230	5.5 - 8	Outdoor	Simplex	BR	-
CMEP(SL)-23SW	-	-	1½ - 2	3	230	7 - 10	Outdoor	Simplex	BS	-
CMEP(SL)-23SW	-	-	2 - 3	3	230	9 - 13	Outdoor	Simplex	BT	-
CMEP(SL)-23SW	-	-	3	3	230	12 - 18	Outdoor	Simplex	BU	-
CMEP(SL)-43SW	-	-	½ - 1	3	460	1.6 - 2.5	Outdoor	Simplex	BV	-
CMEP(SL)-43SW	-	-	1 - 2	3	460	2.5 - 4	Outdoor	Simplex	BW	-
CMEP(SL)-43SW	-	-	1½ - 3	3	460	4 - 6	Outdoor	Simplex	BX	-
CMEP(SL)-43SW	-	-	2 - 3	3	460	5.5 - 8	Outdoor	Simplex	BY	-
CMEP(SL)-53SW	-	-	½ - ¾	3	575	1 - 1.7	Outdoor	Simplex	BZ	-
CMEP(SL)-53SW	-	-	¾ - 1	3	575	1.6 - 2.5	Outdoor	Simplex	B2	-
CMEP(SL)-53SW	-	-	1 - 2	3	575	2.5 - 4	Outdoor	Simplex	B3	-
CMEP(SL)-53SW	-	-	1½ - 3	3	575	4 - 6	Outdoor	Simplex	B4	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CMEP (SL) OUTDOOR DUPLEX PANELS										
CMEP(SL)-03DW	-	-	½ - ¾	3	200	2.5 - 4	Outdoor	Duplex	BG	-
CMEP(SL)-03DW	-	-	¾ - 1	3	200	4 - 6	Outdoor	Duplex	BH	-
CMEP(SL)-03DW	-	-	1 - 1½	3	200	5.5 - 8	Outdoor	Duplex	BJ	-
CMEP(SL)-03DW	-	-	1½ - 2	3	200	7 - 10	Outdoor	Duplex	BK	-
CMEP(SL)-03DW	-	-	1½ - 2	3	200	9 - 13	Outdoor	Duplex	BL	-
CMEP(SL)-03DW	-	-	2 - 3	3	200	12 - 18	Outdoor	Duplex	BM	-
CMEP(SL)-11DW	-	-	< ¾	1	115	< 15	Outdoor	Duplex	BB	-
CMEP(SL)-21DW	-	-	< 1½	1	200/230	< 15	Outdoor	Duplex	BD	-
CMEP(SL)-21DW	-	-	1½ - 2	1	200/230	10 - 20	Outdoor	Duplex	BE	-
CMEP(SL)-21DW	-	-	2 - 3	1	200/230	15 - 30	Outdoor	Duplex	BF	-
CMEP(SL)-23DW	-	-	½ - ¾	3	230	2.5 - 4	Outdoor	Duplex	BN	-
CMEP(SL)-23DW	-	-	¾ - 1	3	230	4 - 6	Outdoor	Duplex	BQ	-
CMEP(SL)-23DW	-	-	1 - 1½	3	230	5.5 - 8	Outdoor	Duplex	BR	-
CMEP(SL)-23DW	-	-	1½ - 2	3	230	7 - 10	Outdoor	Duplex	BS	-
CMEP(SL)-23DW	-	-	2 - 3	3	230	9 - 13	Outdoor	Duplex	BT	-
CMEP(SL)-23DW	-	-	3	3	230	12 - 18	Outdoor	Duplex	BU	-
CMEP(SL)-43DW	-	-	½ - 1	3	460	1.6 - 2.5	Outdoor	Duplex	BV	-
CMEP(SL)-43DW	-	-	1 - 2	3	460	2.5 - 4	Outdoor	Duplex	BW	-
CMEP(SL)-43DW	-	-	1½ - 3	3	460	4 - 6	Outdoor	Duplex	BX	-
CMEP(SL)-43DW	-	-	2 - 3	3	460	5.5 - 8	Outdoor	Duplex	BY	-
CMEP(SL)-53DW	-	-	½ - ¾	3	575	1 - 1.7	Outdoor	Duplex	BZ	-
CMEP(SL)-53DW	-	-	¾ - 1	3	575	1.6 - 2.5	Outdoor	Duplex	B2	-
CMEP(SL)-53DW	-	-	1 - 2	3	575	2.5 - 4	Outdoor	Duplex	B3	-
CMEP(SL)-53DW	-	-	1½ - 3	3	575	4 - 6	Outdoor	Duplex	B4	-
CMG OUTDOOR SIMPLEX PANELS										
CMG-21SW	-	-	2	1	230	12 - 18	Outdoor	Simplex	CA	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	FLA	LOCATION	TYPE	SELECTION	LBS
CWHV3 OUTDOOR SIMPLEX PANELS										
CWHV3-10-03SW	-	-	1	3	200	4 - 6	Outdoor	Simplex	DB	-
CWHV3-10-21SW	-	-	1	1	230	7 - 10	Outdoor	Simplex	DA	-
CWHV3-10-21SW	-	-	1	1	230	7 - 10	Outdoor	Simplex	DA	-
CWHV3-10-23SW	-	-	1 - 1½	3	230	4 - 6	Outdoor	Simplex	DC	-
CWHV3-10-43SW	-	-	1	3	460	1.6 - 2.5	Outdoor	Simplex	DD	-
CWHV3-10-53SW	-	-	1 - 1½	3	575	1.6 - 2.5	Outdoor	Simplex	DE	-
CWHV3-15-03SW	-	-	1½	3	200	5.5 - 8	Outdoor	Simplex	DG	-
CWHV3-15-21SW	-	-	1½	1	230	9 - 13	Outdoor	Simplex	DF	-
CWHV3-15-21SW	-	-	1½	1	230	9 - 13	Outdoor	Simplex	DFA	-
CWHV3-15-21SW	-	-	1½	1	230	9 - 13	Outdoor	Simplex	DF	-
CWHV3-15-21SW	-	-	1½	1	230	9 - 13	Outdoor	Simplex	DFA	-
CWHV3-15-43SW	-	-	1½	3	460	2.5 - 4	Outdoor	Simplex	DH	-
CWHV3-20-03SW	-	-	2	3	200	7 - 10	Outdoor	Simplex	DL	-
CWHV3-20-21SW	-	-	2	1	230	12 - 18	Outdoor	Simplex	DK	-
CWHV3-20-21SW	-	-	2	1	230	12 - 18	Outdoor	Simplex	DK	-
CWHV3-20-23SW	-	-	2	3	230	7 - 10	Outdoor	Simplex	DM	-
CWHV3-20-43SW	-	-	2	3	460	2.5 - 4	Outdoor	Simplex	DN	-
CWHV3-20-53SW	-	-	2	3	575	2.5 - 4	Outdoor	Simplex	DP	-
CWHV3-20SW	-	-	2	1	200	12 - 18	Outdoor	Simplex	DJ	-
CWHV3-20SW	-	-	2	1	200	12 - 18	Outdoor	Simplex	DJ	-
CWHV3-30-03SW	-	-	3	3	200	12 - 18	Outdoor	Simplex	DR	-
CWHV3-30-21SW	-	-	3	1	230	16 - 24	Outdoor	Simplex	DQ	-
CWHV3-30-21SW	-	-	3	1	230	16 - 24	Outdoor	Simplex	DQ	-
CWHV3-30-23SW	-	-	3	3	230	12 - 18	Outdoor	Simplex	DS	-
CWHV3-30-43SW	-	-	3	3	460	5.5 - 8	Outdoor	Simplex	DT	-
CWHV3-30-53SW	-	-	3	3	575	4 - 6	Outdoor	Simplex	DU	-
CWHV3-50-03SW	-	-	5	3	200	23 - 32	Outdoor	Simplex	DW	-
CWHV3-50-21SW	-	-	5	1	230	30 - 40	Outdoor	Simplex	DV	-
CWHV3-50-21SW	-	-	5	1	230	30 - 40	Outdoor	Simplex	DV	-
CWHV3-50-23SW	-	-	5	3	230	16 - 24	Outdoor	Simplex	DX	-
CWHV3-50-43SW	-	-	5	3	460	9 - 13	Outdoor	Simplex	DY	-
CWHV3-50-53SW	-	-	5	3	575	7 - 10	Outdoor	Simplex	DZ	-

MODEL	UPC #	ENG. NO.	DESCRIPTION	LBS
CONTROL PANEL OPTIONS				
ETM	-	-	Elapsed Time meter - Non-resettable 6 digit. Displays hours and tenths. One required per pump.	-
CC	-	-	Cycle counter - Non-resettable. Displays number of pump starts. One required per pump.	-
C	-	-	Auxiliary Contacts - Terminal Blocks and dry contacts for remote Monitoring of panel function. Panel function must be indicated when ordering panel. 3 amp contact rating.	-
ACH1	-	-	Anti-condensation heater - 30 watt with non-adjustable thermostat (50°F on - 65°F off)	-
ACH2	-	-	Anti-condensation heater - 125 watt with non-adjustable thermostat (50°F on - 65°F off) Use on panels with neutral for control circuit.	-
ACH3	-	-	Anti-condensation heater - 125 watt with non-adjustable thermostat (50°F on - 65°F off) Use on panels with a transformer for control circuit.	-
CO	-	-	Convenience outlet - 115 volt, 15 amp duplex gfi receptacle mounted inside enclosure. Use on panels with neutral for control circuit.	-
COT	-	-	Convenience outlet - 115 volt, 15 amp duplex gfi receptacle mounted inside enclosure. Use on panels with a transformer for control circuit.	-
I	-	-	Nema 4 steel enclosure. Suitable for outdoor or indoor use.	-
I1	-	-	Nema 4X fiberglass enclosure. Suitable for outdoor or indoor use.	-
I2	-	-	Nema 3R steel enclosure. Suitable for outdoor or indoor use.	-
I3	-	-	Nema 12 steel enclosure. For indoor use only.	-
I4	-	-	Nema 1 steel enclosure. For indoor use only.	-
I5	-	-	Nema 4X Stainless Steel enclosure. Suitable for indoor or out door use.	-
J	-	-	Full inner door. Aluminum.	-
LA1	-	-	Lightning Arrestor. 1 Ø	-
LA3	-	-	Lightning Arrestor. 3 Ø	-
TDLP	-	-	0 - 60 second delay on start of lag pump.	-
LW	-	-	Low level cutoff and alarm. Overrides entire system to prevent pump operating below a predetermined level and activate the alarm. Uses a normally open float.	-
PFP208	-	-	Phase loss and low voltage circuit to stop pump operation. (208 V, 3 Ø)	-
PFP230	-	-	Phase loss and low voltage circuit to stop pump operation. (230 V, 3 Ø)	-
PFP460	-	-	Phase loss and low voltage circuit to stop pump operation. (460 V, 3 Ø)	-
LV	-	-	Low voltage circuit to stop pump operation. (1 Ø)	-
T	-	-	Alarm light - Non-Flashing. 3" high by 3" diameter red globe with 25 watt bulb, mounted on top of enclosure.	-
T1	-	-	Alarm light - Flashing. 3" high by 3" diameter red globe with 25 watt bulb, mounted on top of enclosure.	-
T2	-	-	Alarm light - non-flashing 7/8" diameter indicating light mounted enclosure door.	-

MODEL	UPC #	ENG. NO.	HP	PHASE	VOLTS	DESCRIPTION	LBS
CEX HAZARDOUS LOCATION CONTROL PANELS							
CEX-21SWB889	054128830957	26451B889	1/2	1	230	Use with SX50-21 or SX50H-21	30
CEX-21DWB890	054128830964	26451B890	1/2	1	230	Use with SX50-21 or SX50H-21	45
CEX-01SWA832	054128834702	26999A832	1/2	1	208	Use with SX50-01 or SX50H	30
CEX-01DWA833	-	26999A833	1/2	1	208	Use with SX50-01 or SX50H	50
CEX-23SWA265	-	26999A263	1/2	3	208/230	Use with SX50-03, SX50-23 or SX50H	30
CEX-23DWA265	054128834016	26999A265	1/2	3	208/230	Use with SX50-03, SX50-23 or SX50H	60
CEX-43SWA264	054128834009	26999A264	1/2	3	460	Use with SX50-43 or SX50H	30
CEX-43DWA266	054128834023	26999A266	1/2	3	460	Use with SX50-43 or SX50H	85
RTF	-	RTF	1/2	3	575	Use with SX50-53	30
RTF	-	RTF	1/2	3	575	Use with SX50-53	85
CEX150-01SW	-	28195A024	1-1/2	1	208	Use with SX150H-01	30
CEX150-01DW	-	28195A036	1-1/2	1	208	Use with SX150H-01	50
CEX150-21SW	-	28195A025	1-1/2	1	230	Use with SX150H-21	30
CEX150-21DW	-	28195A037	1-1/2	1	230	Use with SX150H-21	45
CEX150-03SW	-	28195A026	1-1/2	3	208	Use with SX150H-03	30
CEX150-03DW	-	28195A038	1-1/2	3	208	Use with SX150H-03	60
CEX150-23SW	-	28195A027	1-1/2	3	230	Use with SX150H-23	30
CEX150-23DW	-	28195A039	1-1/2	3	230	Use with SX150H-23	60
CEX150-43SW	-	28195A028	1-1/2	3	460	Use with SX150H-43	30
CEX150-43OW	-	28195A040	1-1/2	3	460	Use with SX150H-43	85
CEX150-53SW	-	28195A029	1-1/2	3	575	Use with SX150H-53	30
CEX150-53DW	-	28195A041	1-1/2	3	575	Use with SX150H-53	60
CEX200-01SW	-	28195A030	2	1	208	Use with SX200H-01	30
CEX200-01DW	-	28195A042	2	1	208	Use with SX200H-01	50
CEX200-21SW	-	28195A031	2	1	230	Use with SX200H-21	30
CEX200-21DW	-	28195A043	2	1	230	Use with SX200H-21	45
CEX200-03SW	-	28195A032	2	3	208	Use with SX200H-03	30
CEX20021DW	-	28195A044	2	3	208	Use with SX200H-03	60
CEX200-23SW	-	28195A033	2	3	230	Use with SX200H-23	30
CEX200-23DW	-	28195A045	2	3	230	Use with SX200H-23	60
CEX200-43SW	-	28195A034	2	3	460	Use with SX200H-43	30
CEX200-43DW	-	28195A046	2	3	460	Use with SX200H-43	85
CEX200-53SW	-	28195A035	2	3	575	Use with SX200H-53	30
CEX200-53DW	-	28195A047	2	3	575	Use with SX200H-53	60